

## Recent aerial photograph




Capture Date: 01/07/2018

Site Area: 1.71ha



## Recent site history - 2012 aerial photograph



Capture Date: 26/03/2012

Site Area: 1.71ha



## Recent site history - 2009 aerial photograph



Capture Date: 11/09/2009

Site Area: 1.71ha



## Recent site history - 1999 aerial photograph




Capture Date: 10/07/1999

Site Area: 1.71ha



## OS MasterMap site plan




© Crown copyright and database rights 2022. Ordnance Survey licence 100035207

Site Area: 1.71ha



# 1 Past land use



- Site Outline
- Search buffers in metres (m)
- Historical industrial land uses
- Historical tanks
- Historical energy features
- Historical garages

## 1.1 Historical industrial land uses

**Records within 500m** **138**

Potentially contaminative land use features digitised from historical Ordnance Survey mapping at 1:10,000 and 1:10,560 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use map on **page 13**

ID	Location	Land use	Dates present	Group ID
1	On site	Unspecified Works	1951	1470830



ID	Location	Land use	Dates present	Group ID
<b>2</b>	<b>On site</b>	<b>Unspecified Disused Tip</b>	<b>1973</b>	<b>1551997</b>
<b>3</b>	<b>On site</b>	<b>Refuse Heap</b>	<b>1966</b>	<b>1538520</b>
<b>A</b>	<b>On site</b>	<b>Refuse Heap</b>	<b>1948 - 1951</b>	<b>1461010</b>
<b>A</b>	<b>On site</b>	<b>Railway Sidings</b>	<b>1948 - 1951</b>	<b>1466580</b>
<b>B</b>	<b>On site</b>	<b>Coke and By-Product Works</b>	<b>1948</b>	<b>1552032</b>
C	7m NE	Cuttings	1850	1410349
D	18m NE	Railway Sidings	1929	1511709
D	26m NE	Coalite Works	1929	1528895
D	26m NE	Coalite Works	1948	1538953
D	29m NE	Unspecified Commercial/Industrial	1951	1411008
4	29m NW	Cuttings	1993	1410347
B	33m SW	Unspecified Pit	1973	1455281
C	34m NE	Unspecified Works	1966 - 1973	1551797
E	41m S	Unspecified Disused Tip	1973 - 1982	1536474
C	46m NE	Unspecified Tank	1929	1528727
C	48m NE	Chimney	1966 - 1973	1515005
C	49m NE	Unspecified Tank	1948	1543122
B	68m W	Coke and By-Product Works	1929	1463362
C	69m NE	Refuse Heap	1948	1527983
C	70m NE	Cuttings	1929	1410348
B	75m W	Railway Sidings	1966	1532555
D	78m N	Unspecified Tank	1929	1520521
D	80m N	Unspecified Tank	1948	1523161
B	87m W	Refuse Heap	1929	1525604
B	89m W	Refuse Heap	1948	1539932
F	91m NW	Refuse Heaps	1929	1419476
B	92m W	Refuse Heap	1951	1557181
G	98m NE	Unspecified Works	1951	1438951



ID	Location	Land use	Dates present	Group ID
D	99m N	Refuse Heap	1948	1510641
D	99m N	Refuse Heap	1951	1509929
D	104m N	Refuse Heap	1929	1478072
D	112m N	Refuse Heap	1929	1541497
D	112m N	Unspecified Tank	1929	1554472
B	112m W	Industrial Estate	1993	1418584
H	114m SW	Refuse Heap	1929	1438002
D	114m N	Unspecified Tank	1948 - 1951	1500301
H	115m SW	Chemical Works	1948 - 1951	1541259
I	118m NW	Refuse Heap	1929	1539579
D	120m N	Refuse Heap	1948	1548044
G	121m NE	Unspecified Tanks	1929	1458961
G	123m NE	Unspecified Tanks	1948 - 1951	1460690
H	124m SW	Chemical Works	1929	1478844
B	125m W	Railway Sidings	1929	1520156
B	127m SW	Unspecified Tanks	1929	1425815
B	127m SW	Unspecified Tanks	1929	1425814
6	129m NW	Unspecified Depot	1982	1428500
B	132m SW	Unspecified Tanks	1929	1425811
D	136m N	Unspecified Tank	1929	1546268
D	137m N	Unspecified Tank	1948 - 1951	1530057
B	140m W	Unspecified Tanks	1948	1507674
B	143m W	Unspecified Tanks	1929	1542120
B	149m W	Unspecified Tanks	1951	1516430
B	150m W	Unspecified Tanks	1929	1494224
7	160m SE	Unspecified Disused Workings	1993	1455949
B	162m W	Unspecified Tanks	1929	1425813
J	171m W	Refuse Heaps	1948	1501825



ID	Location	Land use	Dates present	Group ID
B	172m W	Refuse Heap	1973	1438000
B	175m W	Refuse Heap	1929	1438001
B	177m W	Refuse Heaps	1951	1545300
B	183m W	Refuse Heap	1973	1538279
B	184m W	Railway Building	1966	1429082
K	191m SW	Unspecified Tank	1948 - 1951	1551201
B	192m SW	Unspecified Ground Workings	1966	1414396
K	193m SW	Unspecified Tanks	1929	1425816
M	203m SW	Refuse Heap	1966	1465992
L	205m SW	Unspecified Works	1982	1540083
M	206m SW	Refuse Heap	1951	1536576
8	209m N	Disused Canal	1993	1439413
M	210m SW	Refuse Heap	1948	1523177
M	212m SW	Refuse Heap	1929	1459431
F	212m NW	Refuse Heap	1951	1515319
K	216m SW	Unspecified Works	1973	1493423
N	216m SW	Unspecified Tanks	1948	1465942
N	217m SW	Unspecified Tanks	1951	1498755
O	217m SW	Unspecified Depot	1973 - 1982	1531763
N	218m SW	Unspecified Tanks	1929	1520064
K	219m SW	Unspecified Tanks	1948	1465423
L	220m SW	Garage	1993	1457794
E	221m S	Refuse Heap	1951	1485921
F	222m NW	Refuse Heap	1948	1543647
K	222m SW	Unspecified Tanks	1929	1499935
L	223m SW	Unspecified Works	1973	1521768
P	233m E	Unspecified Tank	1938	1483666
P	238m E	Unspecified Tank	1951	1504438



ID	Location	Land use	Dates present	Group ID
B	239m W	Unspecified Tank	1948	1513804
B	240m W	Unspecified Tank	1929	1518416
L	241m SW	Cuttings	1948 - 1951	1536522
Q	243m E	Open Workings	1966	1421864
Q	243m E	Opencast Workings	1973	1423456
L	246m SW	Cuttings	1966	1489731
L	248m SW	Cuttings	1929	1478886
F	248m NW	Unspecified Works	1966	1496188
B	250m W	Unspecified Depot	1982	1428491
J	257m W	Refuse Heap	1973	1511811
J	260m NW	Unspecified Commercial/Industrial	1993	1411001
J	260m NW	Unspecified Works	1982	1495660
B	263m W	Railway Building	1966	1429083
J	267m W	Refuse Heaps	1929	1513559
B	268m W	Sandstone Quarry	1850	1451621
R	272m SW	Railway Sidings	1966	1502956
F	274m NW	Cooling Pond	1948	1424992
F	277m NW	Electricity Transformer Station	1973	1531516
O	278m W	Railway Building	1966	1429081
F	281m NW	Electricity Transformer Station	1982 - 1993	1491292
9	290m SW	Unspecified Works	1973 - 1982	1504396
J	292m W	Refuse Heap	1966	1488622
R	311m S	Garage	1993	1457796
J	312m W	Refuse Heap	1951	1541337
S	315m NW	Unspecified Tank	1948	1515335
S	316m NW	Unspecified Tank	1929	1483561
S	316m NW	Unspecified Tank	1951	1490537
T	319m SW	Garage	1993	1457793



ID	Location	Land use	Dates present	Group ID
R	326m S	Refuse Heap	1929	1557782
F	328m NW	Chimney	1966	1448385
B	329m W	Railway Building	1966	1429084
J	345m W	Refuse Heap	1966	1463462
J	346m W	Refuse Heap	1929	1542843
T	353m SW	Unspecified Pump	1850	1456721
J	356m W	Refuse Heap	1951	1517269
J	363m W	Railway Buildings	1966	1442115
U	368m NW	Unspecified Ground Workings	1966	1414397
11	371m SW	Unspecified Works	1993	1511822
12	392m S	Refuse Heap	1948	1523639
J	395m NW	Unspecified Depot	1982	1428501
13	397m NW	Railway Sidings	1891 - 1904	1533911
14	413m SW	Opencast Workings	1966	1542560
J	426m NW	Refuse Heaps	1929	1550132
J	430m NW	Refuse Heap	1951	1547443
15	432m NW	Cooling Ponds	1948	1477790
J	446m NW	Refuse Heap	1973	1532278
V	447m E	Disused Canal	1966	1471158
V	447m E	Disused Canal	1973 - 1993	1540564
W	451m S	Linen Works	1904 - 1929	1470956
W	455m S	Linen Works	1948	1518666
W	457m S	Bleach Works	1891	1422788
W	484m S	Unspecified Works	1973	1438954
W	500m S	Gasometer	1904	1420841

*This data is sourced from Ordnance Survey / Groundsure.*



## 1.2 Historical tanks

Records within 500m

12

Tank features digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original ungrouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use map on **page 13**

ID	Location	Land use	Dates present	Group ID
D	78m N	Unspecified Tank	1961	228903
I	181m NW	Tanks	1991	250234
I	183m NW	Tanks	1993	237677
B	193m W	Unspecified Tank	1991 - 1998	237296
B	284m NW	Tanks	1991 - 1998	243865
10	325m W	Tanks	1989 - 1996	242624
J	373m W	Tanks	1989 - 1996	238404
J	395m W	Tanks	1989 - 1996	244692
J	418m NW	Tanks	1991 - 1998	250092
J	420m NW	Tanks	1993 - 1996	243779
J	421m NW	Tanks	1993 - 1996	238394
16	499m NE	Tanks	1998	232694

*This data is sourced from Ordnance Survey / Groundsure.*

## 1.3 Historical energy features

Records within 500m

9

Energy features digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original ungrouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use map on **page 13**



ID	Location	Land use	Dates present	Group ID
F	188m NW	Electricity Transformer Station	1970 - 1987	142626
F	191m NW	Electricity Transformer Station	1989 - 1996	146549
F	225m NW	Electricity Substation	1998	131082
F	254m NW	Electricity Substation	1993 - 1998	146363
E	303m S	Electricity Substation	1999	131081
U	328m NW	Electricity Substation	1998	131083
W	484m S	Electricity Substation	1975 - 1999	137428
W	488m S	Electricity Substation	1990	144286
17	499m SW	Electricity Substation	1996 - 1998	137964

*This data is sourced from Ordnance Survey / Groundsure.*

## 1.4 Historical petrol stations

**Records within 500m**

**0**

Petrol stations digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original ungrouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

*This data is sourced from Ordnance Survey / Groundsure.*

## 1.5 Historical garages

**Records within 500m**

**12**

Garages digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale, intelligently grouped into contiguous features. To prevent misrepresentation of the size of historical features at any given time, features are only grouped if they have similar geometries within immediately preceding or succeeding map editions. See section 2 for a breakdown of grouping if required. Grouped and the original ungrouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use map on **page 13**

ID	Location	Land use	Dates present	Group ID
5	99m SW	Garage	1986 - 1991	44459
L	203m SW	Garage	1998	42943



ID	Location	Land use	Dates present	Group ID
L	222m SW	Motor Repair Works	1970	41589
L	223m SW	Motor Repair Works	-	41063
L	229m SW	Garage	1996 - 1998	44305
L	229m SW	Garage	1990 - 1993	45736
L	231m SW	Garage	1987 - 1989	45711
R	308m S	Garage	1990 - 1991	44542
R	315m S	Garage	1999	43226
T	319m SW	Garage	1980	42037
T	319m SW	Garage	1980 - 1991	46157
T	334m SW	Garage	1969 - 1976	45840

*This data is sourced from Ordnance Survey / Groundsure.*

## 1.6 Historical military land

**Records within 500m**



**0**

Areas of military land digitised from multiple sources including the National Archives, local records, MOD records and verified other sources, intelligently grouped into contiguous features.

*This data is sourced from Ordnance Survey / Groundsure / other sources.*



## 2 Past land use - un-grouped



### 2.1 Historical industrial land uses

**Records within 500m** **168**

Potentially contaminative land use features digitised from historical Ordnance Survey mapping at 1:10,000 and 10,560 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use - un-grouped map on **page 22**

ID	Location	Land Use	Date	Group ID
1	On site	Unspecified Disused Tip	1973	1551997
2	On site	Refuse Heap	1966	1538520
A	On site	Unspecified Works	1951	1470830

ID	Location	Land Use	Date	Group ID
<b>A</b>	<b>On site</b>	<b>Railway Sidings</b>	<b>1948</b>	<b>1466580</b>
<b>B</b>	<b>On site</b>	<b>Coke and By-Product Works</b>	<b>1948</b>	<b>1552032</b>
<b>C</b>	<b>On site</b>	<b>Refuse Heap</b>	<b>1951</b>	<b>1461010</b>
<b>C</b>	<b>On site</b>	<b>Refuse Heap</b>	<b>1948</b>	<b>1461010</b>
<b>C</b>	<b>On site</b>	<b>Refuse Heap</b>	<b>1948</b>	<b>1461010</b>
C	2m W	Railway Sidings	1951	1466580
D	7m NE	Cuttings	1850	1410349
E	18m NE	Railway Sidings	1929	1511709
E	26m NE	Coalite Works	1929	1528895
E	29m NE	Unspecified Commercial/Industrial	1951	1411008
E	29m NE	Coalite Works	1948	1538953
3	29m NW	Cuttings	1993	1410347
B	33m SW	Unspecified Pit	1973	1455281
D	34m NE	Unspecified Works	1973	1551797
D	34m NE	Unspecified Works	1966	1551797
F	41m S	Unspecified Disused Tip	1973	1536474
4	44m NW	Refuse Heap	1951	1461010
D	46m NE	Unspecified Tank	1929	1528727
D	48m NE	Chimney	1973	1515005
D	48m NE	Chimney	1966	1515005
D	49m NE	Unspecified Tank	1948	1543122
B	68m W	Coke and By-Product Works	1929	1463362
D	69m NE	Refuse Heap	1948	1527983
D	69m NE	Refuse Heap	1948	1527983
D	70m NE	Cuttings	1929	1410348
B	75m W	Railway Sidings	1966	1532555
E	78m N	Unspecified Tank	1929	1520521
E	80m N	Unspecified Tank	1948	1523161



ID	Location	Land Use	Date	Group ID
B	87m W	Refuse Heap	1929	1525604
B	89m W	Refuse Heap	1948	1539932
B	89m W	Refuse Heap	1948	1539932
G	91m NW	Refuse Heaps	1929	1419476
B	92m W	Refuse Heap	1951	1557181
H	98m NE	Unspecified Works	1951	1438951
E	99m N	Refuse Heap	1948	1510641
E	99m N	Refuse Heap	1948	1510641
E	99m N	Refuse Heap	1951	1509929
F	104m S	Unspecified Disused Tip	1982	1536474
E	104m N	Refuse Heap	1929	1478072
E	112m N	Refuse Heap	1929	1541497
E	112m N	Unspecified Tank	1929	1554472
B	112m W	Industrial Estate	1993	1418584
I	114m SW	Refuse Heap	1929	1438002
E	114m N	Unspecified Tank	1951	1500301
E	115m N	Unspecified Tank	1948	1500301
I	115m SW	Chemical Works	1948	1541259
I	118m SW	Chemical Works	1951	1541259
J	118m NW	Refuse Heap	1929	1539579
E	120m N	Refuse Heap	1948	1548044
E	120m N	Refuse Heap	1948	1548044
H	121m NE	Unspecified Tanks	1929	1458961
H	123m NE	Unspecified Tanks	1948	1460690
H	123m NE	Unspecified Tanks	1951	1460690
I	124m SW	Chemical Works	1929	1478844
B	125m W	Railway Sidings	1929	1520156
B	127m SW	Unspecified Tanks	1929	1425815



ID	Location	Land Use	Date	Group ID
B	127m SW	Unspecified Tanks	1929	1425814
5	129m NW	Unspecified Depot	1982	1428500
B	132m SW	Unspecified Tanks	1929	1425811
E	136m N	Unspecified Tank	1929	1546268
E	137m N	Unspecified Tank	1951	1530057
E	138m N	Unspecified Tank	1948	1530057
B	140m W	Unspecified Tanks	1948	1507674
B	143m W	Unspecified Tanks	1929	1542120
B	149m W	Unspecified Tanks	1951	1516430
B	150m W	Unspecified Tanks	1929	1494224
6	160m SE	Unspecified Disused Workings	1993	1455949
B	162m W	Unspecified Tanks	1929	1425813
K	171m W	Refuse Heaps	1948	1501825
K	171m W	Refuse Heaps	1948	1501825
B	172m W	Refuse Heap	1973	1438000
B	175m W	Refuse Heap	1929	1438001
B	177m W	Refuse Heaps	1951	1545300
B	183m W	Refuse Heap	1973	1538279
B	184m W	Railway Building	1966	1429082
L	191m SW	Unspecified Tank	1948	1551201
B	192m SW	Unspecified Ground Workings	1966	1414396
L	193m SW	Unspecified Tank	1951	1551201
L	193m SW	Unspecified Tanks	1929	1425816
N	203m SW	Refuse Heap	1966	1465992
M	205m SW	Unspecified Works	1982	1540083
N	206m SW	Refuse Heap	1951	1536576
7	209m N	Disused Canal	1993	1439413
N	210m SW	Refuse Heap	1948	1523177



ID	Location	Land Use	Date	Group ID
N	210m SW	Refuse Heap	1948	1523177
N	212m SW	Refuse Heap	1929	1459431
G	212m NW	Refuse Heap	1951	1515319
L	216m SW	Unspecified Works	1973	1493423
O	216m SW	Unspecified Tanks	1948	1465942
O	217m SW	Unspecified Tanks	1951	1498755
P	217m SW	Unspecified Depot	1973	1531763
P	217m SW	Unspecified Depot	1982	1531763
O	218m SW	Unspecified Tanks	1929	1520064
L	219m SW	Unspecified Tanks	1948	1465423
M	220m SW	Garage	1993	1457794
F	221m S	Refuse Heap	1951	1485921
G	222m NW	Refuse Heap	1948	1543647
G	222m NW	Refuse Heap	1948	1543647
L	222m SW	Unspecified Tanks	1929	1499935
M	223m SW	Unspecified Works	1973	1521768
Q	233m E	Unspecified Tank	1938	1483666
Q	238m E	Unspecified Tank	1951	1504438
B	239m W	Unspecified Tank	1948	1513804
B	240m W	Unspecified Tank	1929	1518416
M	241m SW	Cuttings	1948	1536522
M	243m SW	Cuttings	1951	1536522
R	243m E	Opencast Workings	1973	1423456
R	243m E	Open Workings	1966	1421864
M	246m SW	Cuttings	1966	1489731
M	248m SW	Cuttings	1929	1478886
G	248m NW	Unspecified Works	1966	1496188
B	250m W	Unspecified Depot	1982	1428491



ID	Location	Land Use	Date	Group ID
K	257m W	Refuse Heap	1973	1511811
K	260m NW	Unspecified Commercial/Industrial	1993	1411001
K	260m NW	Unspecified Works	1982	1495660
B	263m W	Railway Building	1966	1429083
K	267m W	Refuse Heaps	1929	1513559
B	268m W	Sandstone Quarry	1850	1451621
S	272m SW	Railway Sidings	1966	1502956
G	274m NW	Cooling Pond	1948	1424992
G	277m NW	Electricity Transformer Station	1973	1531516
P	278m W	Railway Building	1966	1429081
G	281m NW	Electricity Transformer Station	1993	1491292
G	281m NW	Electricity Transformer Station	1982	1491292
8	290m SW	Unspecified Works	1973	1504396
K	292m W	Refuse Heap	1966	1488622
S	311m S	Garage	1993	1457796
K	312m W	Refuse Heap	1951	1541337
T	315m NW	Unspecified Tank	1948	1515335
T	316m NW	Unspecified Tank	1929	1483561
T	316m NW	Unspecified Tank	1951	1490537
U	319m SW	Garage	1993	1457793
S	326m S	Refuse Heap	1929	1557782
G	328m NW	Chimney	1966	1448385
B	329m W	Railway Building	1966	1429084
K	345m W	Refuse Heap	1966	1463462
K	346m W	Refuse Heap	1929	1542843
U	353m SW	Unspecified Pump	1850	1456721
K	356m W	Refuse Heap	1951	1517269
K	359m W	Unspecified Works	1982	1495660



ID	Location	Land Use	Date	Group ID
K	363m W	Railway Buildings	1966	1442115
W	368m NW	Unspecified Ground Workings	1966	1414397
X	371m SW	Unspecified Works	1993	1511822
Y	392m S	Refuse Heap	1948	1523639
Y	392m S	Refuse Heap	1948	1523639
K	395m NW	Unspecified Depot	1982	1428501
X	397m SW	Unspecified Works	1982	1504396
Z	397m NW	Railway Sidings	1904	1533911
Z	397m NW	Railway Sidings	1891	1533911
9	413m SW	Opencast Workings	1966	1542560
K	426m NW	Refuse Heaps	1929	1550132
K	430m NW	Refuse Heap	1951	1547443
AA	432m NW	Cooling Ponds	1948	1477790
AA	432m NW	Cooling Ponds	1948	1477790
K	446m NW	Refuse Heap	1973	1532278
AB	447m E	Disused Canal	1993	1540564
AB	447m E	Disused Canal	1973	1540564
AB	447m E	Disused Canal	1966	1471158
AB	447m E	Disused Canal	1982	1540564
AC	451m S	Linen Works	1929	1470956
AC	451m S	Linen Works	1904	1470956
AC	455m S	Linen Works	1948	1518666
AC	457m S	Bleach Works	1891	1422788
AC	484m S	Unspecified Works	1973	1438954
AC	500m S	Gasometer	1904	1420841

*This data is sourced from Ordnance Survey / Groundsure.*



## 2.2 Historical tanks

Records within 500m

41

Tank features digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use - un-grouped map on **page 22**

ID	Location	Land Use	Date	Group ID
E	78m N	Unspecified Tank	1961	228903
J	181m NW	Tanks	1991	250234
J	183m NW	Tanks	1993	237677
J	183m NW	Tanks	1993	237677
B	193m W	Unspecified Tank	1993	237296
B	193m W	Unspecified Tank	1993	237296
B	193m W	Unspecified Tank	1996	237296
B	193m W	Unspecified Tank	1998	237296
B	194m W	Unspecified Tank	1991	237296
B	284m NW	Tanks	1991	243865
B	284m NW	Tanks	1993	243865
B	284m NW	Tanks	1993	243865
B	284m NW	Tanks	1996	243865
B	284m NW	Tanks	1998	243865
V	325m W	Tanks	1993	242624
V	325m W	Tanks	1993	242624
V	325m W	Tanks	1996	242624
V	325m W	Tanks	1989	242624
V	325m W	Tanks	1990	242624
V	325m W	Tanks	1991	242624
K	373m W	Tanks	1993	238404
K	373m W	Tanks	1993	238404
K	373m W	Tanks	1996	238404



ID	Location	Land Use	Date	Group ID
K	375m W	Tanks	1989	238404
K	375m W	Tanks	1990	238404
K	375m W	Tanks	1991	238404
K	395m W	Tanks	1993	244692
K	395m W	Tanks	1993	244692
K	395m W	Tanks	1996	244692
K	395m W	Tanks	1989	244692
K	395m W	Tanks	1990	244692
K	395m W	Tanks	1991	244692
K	418m NW	Tanks	1998	250092
K	420m NW	Tanks	1993	243779
K	420m NW	Tanks	1993	243779
K	420m NW	Tanks	1996	243779
K	421m NW	Tanks	1991	250092
K	421m NW	Tanks	1993	238394
K	421m NW	Tanks	1993	238394
K	421m NW	Tanks	1996	238394
10	499m NE	Tanks	1998	232694

*This data is sourced from Ordnance Survey / Groundsure.*

### 2.3 Historical energy features

<b>Records within 500m</b>	<b>21</b>
----------------------------	-----------

Energy features digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

Features are displayed on the Past land use - un-grouped map on **page 22**

ID	Location	Land Use	Date	Group ID
G	188m NW	Electricity Transformer Station	1987	142626
G	191m NW	Electricity Transformer Station	1989	146549



ID	Location	Land Use	Date	Group ID
G	191m NW	Electricity Transformer Station	1990	146549
G	191m NW	Electricity Transformer Station	1991	146549
G	191m NW	Electricity Transformer Station	1993	146549
G	191m NW	Electricity Transformer Station	1993	146549
G	191m NW	Electricity Transformer Station	1996	146549
G	203m NW	Electricity Transformer Station	1970	142626
G	225m NW	Electricity Substation	1998	131082
G	254m NW	Electricity Substation	1993	146363
G	254m NW	Electricity Substation	1993	146363
G	254m NW	Electricity Substation	1996	146363
G	254m NW	Electricity Substation	1998	146363
F	303m S	Electricity Substation	1999	131081
W	328m NW	Electricity Substation	1998	131083
AC	484m S	Electricity Substation	1975	137428
AC	484m S	Electricity Substation	1991	137428
AC	485m S	Electricity Substation	1999	137428
AC	488m S	Electricity Substation	1990	144286
AD	499m SW	Electricity Substation	1996	137964
AD	499m SW	Electricity Substation	1998	137964

*This data is sourced from Ordnance Survey / Groundsure.*

## 2.4 Historical petrol stations

**Records within 500m**

**0**

Petrol stations digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.

*This data is sourced from Ordnance Survey / Groundsure.*



## 2.5 Historical garages

Records within 500m

22

Garages digitised from historical Ordnance Survey mapping at high-detail 1:1,250 and 1:2,500 scale. Any records shown are available intelligently grouped in section 1. Grouped and the original un-grouped features can be cross-referenced across sections 1 and 2 using the 'Group ID'.



Features are displayed on the Past land use - un-grouped map on **page 22**

ID	Location	Land Use	Date	Group ID
I	99m SW	Garage	1986	44459
I	99m SW	Garage	1991	44459
I	99m SW	Garage	1987	44459
M	203m SW	Garage	1998	42943
M	222m SW	Motor Repair Works	1970	41589
M	223m SW	Motor Repair Works	-	41063
M	229m SW	Garage	1998	44305
M	229m SW	Garage	1993	45736
M	229m SW	Garage	1993	45736
M	229m SW	Garage	1996	44305
M	231m SW	Garage	1987	45711
M	231m SW	Garage	1989	45711
M	231m SW	Garage	1990	45736
M	231m SW	Garage	1991	45736
S	308m S	Garage	1990	44542
S	308m S	Garage	1991	44542
S	315m S	Garage	1999	43226
U	319m SW	Garage	1980	46157
U	319m SW	Garage	1991	46157
U	319m SW	Garage	1980	42037
U	334m SW	Garage	1976	45840
U	340m SW	Garage	1969	45840

*This data is sourced from Ordnance Survey / Groundsure.*



## 3 Waste and landfill



### 3.1 Active or recent landfill

Records within 500m

0

Active or recently closed landfill sites under Environment Agency/Natural Resources Wales regulation.

*This data is sourced from the Environment Agency and Natural Resources Wales.*

### 3.2 Historical landfill (BGS records)

Records within 500m

0

Landfill sites identified on a survey carried out on behalf of the DoE in 1973. These sites may have been closed or operational at this time.

*This data is sourced from the British Geological Survey.*

### 3.3 Historical landfill (LA/mapping records)

Records within 500m

2

Landfill sites identified from Local Authority records and high detail historical mapping.

Features are displayed on the Waste and landfill map on **page 33**

ID	Location	Site address	Source	Data type
6	174m W	Refuse Tip	1970 mapping	Polygon
7	182m W	Refuse Tip	1970 mapping	Polygon

*This data is sourced from the Ordnance Survey/Groundsure and Local Authority records.*

### 3.4 Historical landfill (EA/NRW records)

Records within 500m

8

Known historical (closed) landfill sites (e.g. sites where there is no PPC permit or waste management licence currently in force). This includes sites that existed before the waste licensing regime and sites that have been licensed in the past but where a licence has been revoked, ceased to exist or surrendered and a certificate of completion has been issued.

Features are displayed on the Waste and landfill map on **page 33**

ID	Location	Details		
A	On site	<b>Site Address: Tipping of Builders Waste opposite Whaley Road, Whaley Road, Barugh, Barnsley</b> <b>Licence Holder Address: Amco Compound, Whaley Road, Barugh, Barnsley</b>	<b>Waste Licence: Yes</b> <b>Site Reference: WD24 B378, 4400/B375, 20B375(84), WD20 B375</b> <b>Waste Type: Inert, Commercial</b> <b>Environmental Permitting Regulations (Waste) Reference: -</b> <b>Licence Issue: 14/04/1983</b> <b>Licence Surrender: 02/07/1984</b>	<b>Operator: Longden Homes</b> <b>Licence Holder: Amco Industries Holdings Limited</b> <b>First Recorded 30/04/1983</b> <b>Last Recorded: 02/07/1984</b>
3	16m SE	Site Address: Whaley Road, Claycliffe Industrial Estate, Barugh Green road, Barugh, Barnsley Licence Holder Address: PO Box 1, Whaley Road, Barugh, Barnsley	Waste Licence: Yes Site Reference: 4400/B502, 20B502(81), WD20 B502 Waste Type: Inert, Commercial Environmental Permitting Regulations (Waste) Reference: - Licence Issue: 24/03/1986 Licence Surrender: 22/07/1992	Operator: Amco Limited Licence Holder: Amco Industries Holdings Limited First Recorded 31/03/1986 Last Recorded: 22/07/1992



ID	Location	Details		
5	162m SE	Site Address: Land To East Of Whaley Road, Barugh Green, Barnsley Licence Holder Address: 31 Bence Lane, Darton	Waste Licence: Yes Site Reference: WD20 B1050 Waste Type: Inert, Commercial Environmental Permitting Regulations (Waste) Reference: - Licence Issue: 15/03/1994 Licence Surrender: -	Operator: Mydrin Limited Licence Holder: Autogel Limited/Mydrinlts First Recorded 15/03/1994 Last Recorded: -
8	188m NW	Site Address: Land off Whaley Road, Claycliffe Industrial Estate, Barugh Green, Barnsley Licence Holder Address: 3 The Balk, Staincross, Barnsley	Waste Licence: Yes Site Reference: WD20 B488, 4400/B488, 20B488(97) Waste Type: Inert Environmental Permitting Regulations (Waste) Reference: - Licence Issue: 21/10/1985 Licence Surrender: 01/11/1994	Operator: Mr C Langfield Licence Holder: Mr C Langfield First Recorded 31/10/1985 Last Recorded: 01/11/1994
9	223m S	Site Address: South Yorkshire Industrial Estate, Redbrook, Barnsley Licence Holder Address: Western House, Place Du Commerce, St Peter Port, Guernsey	Waste Licence: Yes Site Reference: 4400/B392, 20B392(87), WD20 B392 Waste Type: Inert, Commercial Environmental Permitting Regulations (Waste) Reference: - Licence Issue: 02/09/1983 Licence Surrender: 29/01/1990	Operator: Northern Properties Limited Licence Holder: Northern Properties Limited First Recorded 30/09/1983 Last Recorded: 29/01/1990
11	339m S	Site Address: Wilthorpe Road, Redbrook, Barnsley Licence Holder Address: High Street, South Elmsall, Pontefract	Waste Licence: Yes Site Reference: WD20 B390, 4400/B390, 20B390(86) Waste Type: Inert Environmental Permitting Regulations (Waste) Reference: - Licence Issue: 02/09/1983 Licence Surrender: 03/05/1988	Operator: Tara Civil Engineering Limited Licence Holder: Tara Civil Engineering Limited First Recorded 02/09/1983 Last Recorded: 03/05/1988
12	359m SE	Site Address: Dayhouse Lane And Wilthorpe Road, Gawber, Barnsley Licence Holder Address: -	Waste Licence: - Site Reference: 4400/(135) Waste Type: - Environmental Permitting Regulations (Waste) Reference: - Licence Issue: - Licence Surrender: -	Operator: Mr B Dixon Licence Holder: Mr B Dixon First Recorded - Last Recorded: -
13	413m NW	Site Address: Railway Cutting Off Claycliffe Road, Barugh, Barnsley Licence Holder Address: -	Waste Licence: - Site Reference: - Waste Type: Inert Environmental Permitting Regulations (Waste) Reference: - Licence Issue: - Licence Surrender: -	Operator: Mr Robinson Licence Holder: Mr R Robinson First Recorded 31/12/1972 Last Recorded: -

*This data is sourced from the Environment Agency and Natural Resources Wales.*



### 3.5 Historical waste sites

Records within 500m

2

Waste site records derived from Local Authority planning records and high detail historical mapping. Features are displayed on the Waste and landfill map on **page 33**

ID	Location	Address	Further Details	Date
1	On site	Site Address: N/A	<b>Type of Site: Ground Workings and Refuse Heap</b> <b>Planning application reference: N/A</b> <b>Description: N/A</b> <b>Data source: Historic Mapping</b> <b>Data Type: Polygon</b>	1961
2	1m SE	Site Address: Whaley Road, Low Barugh, BARNSELEY, South Yorkshire, S75 1HT	Type of Site: Recycling Centre (Conversion) Planning application reference: 2006/1242 Description: Scheme comprises change of use of land to B2 waste recycling centre. An application (ref: 2006/1242) for detailed planning permission was granted by Barnsley B.C. Planning decision obtained Data source: Historic Planning Application Data Type: Point	-

*This data is sourced from Ordnance Survey/Groundsure and Local Authority records.*

### 3.6 Licensed waste sites

Records within 500m

2

Active or recently closed waste sites under Environment Agency/Natural Resources Wales regulation. Features are displayed on the Waste and landfill map on **page 33**

ID	Location	Details		
A	On site	<b>Site Name: Whaley Road</b> <b>Site Address: Wordsworth Crushing Ltd, Whaley Road, Low Barugh, Barnsley, South Yorkshire, S75 1HT</b> <b>Correspondence Address: -</b>	<b>Type of Site: Inert &amp; excavation Waste TS + treatment</b> <b>Size: 25000 tonnes</b> <b>Environmental Permitting Regulations (Waste) Licence Number: WOR047</b> <b>EPR reference: EA/EPR/GB3237AM/A001</b> <b>Operator: Wordsworth Crushing Ltd</b> <b>Waste Management licence No: 104091</b> <b>Annual Tonnage: 74999</b>	<b>Issue Date: 22/05/2012</b> <b>Effective Date: -</b> <b>Modified: -</b> <b>Surrendered Date: -</b> <b>Expiry Date: -</b> <b>Cancelled Date: -</b> <b>Status: Issued</b>



ID	Location	Details		
A	On site	<b>Site Name: Whaley Road</b> <b>Site Address: Wordsworth</b> <b>Crushing Ltd, Whaley Road, Low</b> <b>Barugh, Barnsley, South Yorkshire,</b> <b>S75 1HT</b> <b>Correspondence Address: -</b>	<b>Type of Site: Inert &amp; excavation</b> <b>Waste TS + treatment</b> <b>Size: &gt;= 25000 tonnes 75000</b> <b>tonnes</b> <b>Environmental Permitting</b> <b>Regulations (Waste) Licence</b> <b>Number: WOR047</b> <b>EPR reference:</b> <b>EA/EPR/GB3237AM/A001</b> <b>Operator: Wordsworth Crushing</b> <b>Ltd</b> <b>Waste Management licence No:</b> <b>104091</b> <b>Annual Tonnage: 74999</b>	<b>Issue Date: 22/05/2012</b> <b>Effective Date: -</b> <b>Modified: -</b> <b>Surrendered Date: -</b> <b>Expiry Date: -</b> <b>Cancelled Date: -</b> <b>Status: Issued</b>

*This data is sourced from the Environment Agency and Natural Resources Wales.*

### 3.7 Waste exemptions

<b>Records within 500m</b>	<b>17</b>
----------------------------	-----------

Activities involving the storage, treatment, use or disposal of waste that are exempt from needing a permit. Exemptions have specific limits and conditions that must be adhered to.

Features are displayed on the Waste and landfill map on **page 33**

ID	Location	Site	Reference	Category	Sub-Category	Description
B	43m NW	Amalgamated Construction Ltd Whaley Road Barnsley South Yorkshire S75 1HT	EPR/EE5452DT /A001	Storing waste exemption	Non-Agricultural Waste Only	Storage of waste in secure containers
B	43m NW	Amalgamated Construction Ltd Whaley Road Barnsley South Yorkshire S75 1HT	EPR/EE5452DT /A001	Storing waste exemption	Non-Agricultural Waste Only	Storage of waste in a secure place
B	46m NW	Amalgamated Construction Ltd Whaley Road Barnsley South Yorkshire S75 1HT	EPR/AE5181AY /A001	Using waste exemption	Non-Agricultural Waste Only	Use of waste in construction
B	46m NW	WHALEY ROAD BARNSELEY S75 1HT	WEX013568	Storing waste exemption	Not on a farm	Storage of waste in secure containers
B	46m NW	WHALEY ROAD BARNSELEY S75 1HT	WEX013568	Storing waste exemption	Not on a farm	Storage of waste in a secure place
4	143m NW	Site At Whaley Road Barnsley South Yorkshire S75 1HT	EPR/AF0804W M/A001	Using waste exemption	Non-Agricultural Waste Only	Use of waste in construction





ID	Location	Site	Reference	Category	Sub-Category	Description
C	225m S	Unit F, Zenith Business Park, Baurgh Green, Barnsley, S75 1HT	WEX006072	Storing waste exemption	Not on a farm	Storage of waste in a secure place
C	225m S	Unit F, Zenith Business Park, Baurgh Green, Barnsley, S75 1HT	WEX006072	Treating waste exemption	Not on a farm	Preparatory treatments (baling, sorting, shredding etc)
C	232m S	Amalgamated Construction Ltd, Amalgamated Construction Ltd, Whaley Road, BARNSELEY, S75 1HT	WEX160097	Using waste exemption	Not on a Farm	Use of waste in construction
C	232m S	Whirlpool UK Appliances Ltd, Unit F, Zenith Business Park, Baurgh Green, Barnsley, S75 1HT	WEX167716	Treating waste exemption	Not on a farm	Preparatory treatments (baling, sorting, shredding etc)
C	232m S	Whirlpool UK Appliances Ltd, Unit F, Zenith Business Park, Baurgh Green, Barnsley, S75 1HT	WEX167716	Storing waste exemption	Not on a farm	Storage of waste in a secure place
C	232m S	Amalgamated Construction Ltd, Whaley Road, Barugh, Barnsley, S75 1HT	WEX174486	Storing waste exemption	Not on a farm	Storage of waste in a secure place
C	232m S	Amalgamated Construction Ltd, Whaley Road, Barugh, Barnsley, S75 1HT	WEX174486	Storing waste exemption	Not on a farm	Storage of waste in secure containers
C	232m S	WHALEY ROAD, BARNSELEY, S75 1HT	WEX091827	Using waste exemption	Not on a farm	Use of waste in construction
10	234m W	Unit 3 & 4 Joe Pole Storage, Claycliffe Road, Barugh Green, Barnsley, S75 1HS	WEX080820	Treating waste exemption	Not on a farm	Preparatory treatments (baling, sorting, shredding etc)
C	259m S	UnitF Zenith Park Whaley Road Barnsley South Yorkshire S75 1HT	EPR/KH0015JV /A001	Storing waste exemption	Non-Agricultural Waste Only	Storage of waste in a secure place
14	449m N	-	WEX258054	Storing waste exemption	On a farm	Storage of sludge

*This data is sourced from the Environment Agency and Natural Resources Wales.*



## 4 Current industrial land use



### 4.1 Recent industrial land uses

Records within 250m

18

Current potentially contaminative industrial sites.

Features are displayed on the Current industrial land use map on **page 39**

ID	Location	Company	Address	Activity	Category
A	On site	Wordsworth Crushing Ltd	Unit 1, Whaley Road, Barnsley, South Yorkshire, S75	Ore Mining	Extractive Industries
B	43m SE	Electricity Sub Station	South Yorkshire, S75	Electrical Features	Infrastructure and Facilities

ID	Location	Company	Address	Activity	Category
1	46m NW	A M C O Giffen	Whaley Road, Barnsley, South Yorkshire, S75 1HT	Civil Engineers	Engineering Services
2	58m SE	Pylon	South Yorkshire, S75	Electrical Features	Infrastructure and Facilities
3	58m SW	Wordsworth Business Park	South Yorkshire, S75	Business Parks and Industrial Estates	Industrial Features
B	70m SE	Works	South Yorkshire, S75	Unspecified Works Or Factories	Industrial Features
B	75m SE	Naylor Concrete Products Ltd	Naylor Concrete Products Ltd, Whaley Road, Barnsley, South Yorkshire, S75 1HT	Concrete Products	Industrial Products
B	93m SE	Hopper	South Yorkshire, S75	Hoppers and Silos	Farming
4	135m NW	V H E	Whaley Road, Barnsley, South Yorkshire, S75 1HT	Civil Engineers	Engineering Services
5	150m SW	Mike Tinker Motor Bodies	Claycliffe Road, Barnsley, South Yorkshire, S75 1HS	Vehicle Repair, Testing and Servicing	Repair and Servicing
C	190m W	Pentagon	Claycliffe Road, Barugh Green, Barnsley, South Yorkshire, S75 1LR	New Vehicles	Motoring
D	205m SW	Mast (Telecommu nication)	South Yorkshire, S75	Telecommunications Features	Infrastructure and Facilities
C	210m W	Travelling Crane	South Yorkshire, S75	Travelling Cranes and Gantries	Industrial Features
6	212m NW	Amco Drilling	Whaley Road, Barnsley, South Yorkshire, S75 1HT	Cutting, Drilling and Welding Services	Construction Services
7	231m SE	Pylon	South Yorkshire, S75	Electrical Features	Infrastructure and Facilities
8	232m S	Vantage Honda	Whaley Road, Barnsley, South Yorkshire, S75 1HT	New Vehicles	Motoring
D	240m SW	Perrys Motors Sales Ltd	Claycliffe Road, Barugh Green, Barnsley, South Yorkshire, S75 1LR	New Vehicles	Motoring
9	241m SW	Rolled Rings Ltd	Warehouse 1, Claycliffe Road, Barnsley, South Yorkshire, S75 1HS	Tools Including Machine Shops	Industrial Products

*This data is sourced from Ordnance Survey.*



## 4.2 Current or recent petrol stations

Records within 500m

1

Open, closed, under development and obsolete petrol stations.

Features are displayed on the Current industrial land use map on **page 39**

ID	Location	Company	Address	LPG	Status
12	380m SW	OBSOLETE	Claycliffe Road, A365, Redbrook, Barnsley, South Yorkshire, S75 1HS	Not Applicable	Obsolete

*This data is sourced from Experian.*

## 4.3 Electricity cables

Records within 500m

0

High voltage underground electricity transmission cables.

*This data is sourced from National Grid.*

## 4.4 Gas pipelines

Records within 500m

0

High pressure underground gas transmission pipelines.

*This data is sourced from National Grid.*

## 4.5 Sites determined as Contaminated Land

Records within 500m

0

Contaminated Land Register of sites designated under Part 2a of the Environmental Protection Act 1990.

*This data is sourced from Local Authority records.*

## 4.6 Control of Major Accident Hazards (COMAH)

Records within 500m

0

Control of Major Accident Hazards (COMAH) sites. This data includes upper and lower tier sites, and includes a historical archive of COMAH sites and Notification of Installations Handling Hazardous Substances (NIHHS) records.

*This data is sourced from the Health and Safety Executive.*



## 4.7 Regulated explosive sites

Records within 500m

0

Sites registered and licensed by the Health and Safety Executive under the Manufacture and Storage of Explosives Regulations 2005 (MSER). The last update to this data was in April 2011.

*This data is sourced from the Health and Safety Executive.*

## 4.8 Hazardous substance storage/usage

Records within 500m

1

Consents granted for a site to hold certain quantities of hazardous substances at or above defined limits in accordance with the Planning (Hazardous Substances) Regulations 2015.

Features are displayed on the Current industrial land use map on **page 39**

ID	Location	Details	
A	18m NW	Application reference number: No Details Application status: Approved Application date: No Details Address: Reliance Energy Ltd, Redbrook Industrial Estate, Barnsley, South Yorkshire, England, S75 1HS	Details: No Details Enforcement: No Details Date of enforcement: No Details Comment: No Details

*This data is sourced from Local Authority records.*

## 4.9 Historical licensed industrial activities (IPC)

Records within 500m

0

Integrated Pollution Control (IPC) records of substance releases to air, land and water. This data represents a historical archive as the IPC regime has been superseded.

*This data is sourced from the Environment Agency and Natural Resources Wales.*

## 4.10 Licensed industrial activities (Part A(1))

Records within 500m

0

Records of Part A(1) installations regulated under the Environmental Permitting (England and Wales) Regulations 2016 for the release of substances to the environment.

*This data is sourced from the Environment Agency and Natural Resources Wales.*

## 4.11 Licensed pollutant release (Part A(2)/B)

Records within 500m

8

Records of Part A(2) and Part B installations regulated under the Environmental Permitting (England and Wales) Regulations 2016 for the release of substances to the environment.

Features are displayed on the Current industrial land use map on **page 39**

ID	Location	Address	Details	
B	72m SE	Charcon Precast Solutions, Whaley Road, Barugh Green, Barnsley, S75 1HT	Process: Use of Bulk Cement Status: Current Permit Permit Type: Part B	Enforcement: No Enforcement Notified Date of enforcement: No Enforcement Notified Comment: No Enforcement Notified
C	187m W	Compass Engineering Limited, Whaley Road, Barnsley, S75 1HT	Process: Coating Processes Status: Current Permit Permit Type: Part B	Enforcement: No Enforcement Notified Date of enforcement: No Enforcement Notified Comment: No Enforcement Notified
C	233m W	Braithwaite Excavations Limited, Claycliffe Road, Barugh Green, Barnsley, S75 1HS	Process: Other Mineral Processes Status: Historical Permit Permit Type: Part B	Enforcement: No Enforcement Notified Date of enforcement: No Enforcement Notified Comment: No Enforcement Notified
D	244m SW	D C Cook, Barugh Green Rd, Barugh Green, Barnsley, S75 2RS	Process: Respraying of Road Vehicles Status: Historical Permit Permit Type: Part B	Enforcement: No Enforcements Notified Date of enforcement: No Enforcements Notified Comment: No Enforcements Notified
10	257m SW	Alton Cars, Claycliffe Road, Barnsley, S75 1HS	Process: Respraying of Road Vehicles Status: Current Permit Permit Type: Part B	Enforcement: No Enforcement Notified Date of enforcement: No Enforcement Notified Comment: No Enforcement Notified
E	268m S	Wordsworth Crushing Ltd, Whaley Road, Barugh Green, Barnsley, S75 1HT	Process: Other Mineral Processes Status: Historical Permit Permit Type: Part B	Enforcement: No Enforcement Notified Date of enforcement: No Enforcement Notified Comment: No Enforcement Notified
E	268m S	Wordsworth Crushing Ltd, Whaley Road, Barugh Green, Barnsley, S75 1HT	Process: Other Mineral Processes Status: Historical Permit Permit Type: Part B	Enforcement: No Enforcement Notified Date of enforcement: No Enforcement Notified Comment: No Enforcement Notified
11	340m SW	Malcolm Smith Motor Repairs, Claycliffe Rd, Barugh, Barnsley, S75 1HS	Process: Waste Oil Burner 0.4 MW Status: Historical Permit Permit Type: Part B	Enforcement: No Enforcements Notified Date of enforcement: No Enforcements Notified Comment: No Enforcements Notified

*This data is sourced from Local Authority records.*



## 4.12 Radioactive Substance Authorisations

### Records within 500m

**1**

Records of the storage, use, accumulation and disposal of radioactive substances regulated under the Radioactive Substances Act 1993.

Features are displayed on the Current industrial land use map on **page 39**

ID	Location	Address	Details	
E	288m S	Static Solutions Limited, Unit 17, Zenith Park,whaley Road,barugh Green, Barnsley, South Yorkshire, S75 1HT	Operator: Static Solutions Limited Type: Disposal Of Radioactive Waste (was Rsa60 Section 6). Permission number: CE2870 Date of approval: -	Effective from: - Last date of update: 06/01/2010 Status: Valid

*This data is sourced from the Environment Agency and Natural Resources Wales.*

## 4.13 Licensed Discharges to controlled waters

### Records within 500m

**2**

Discharges of treated or untreated effluent to controlled waters under the Water Resources Act 1991.

Features are displayed on the Current industrial land use map on **page 39**

ID	Location	Address	Details	
F	286m W	PRISM WORKS, CLAYCLIFFE ROAD, BARUGH, BARNESLEY, SOUTH YORKSHIRE	Effluent Type: TRADE DISCHARGES - SITE DRAINAGE (CONTAM SURFACE WATER, NOT WASTE SIT Permit Number: C4750 Permit Version: 1 Receiving Water: TRIBUTARY OF THE RIVER DEARNE	Status: TRANSFERRED FROM COPA 1974 Issue date: 14/08/1987 Effective Date: 14/08/1987 Revocation Date: 20/07/1993
F	286m W	PRISM WORKS, CLAYCLIFFE ROAD, BARUGH, BARNESLEY, SOUTH YORKSHIRE	Effluent Type: TRADE DISCHARGES - SITE DRAINAGE (CONTAM SURFACE WATER, NOT WASTE SIT Permit Number: C4750 Permit Version: 2 Receiving Water: TRIBUTARY OF THE RIVER DEARNE	Status: REVOKED (WRA 91, S88 & SCHED 10 AS AMENDED BY ENV ACT 1995) Issue date: 21/07/1993 Effective Date: 21/07/1993 Revocation Date: 27/11/2007

*This data is sourced from the Environment Agency and Natural Resources Wales.*



#### 4.14 Pollutant release to surface waters (Red List)

Records within 500m	0
---------------------	---

Discharges of specified substances under the Environmental Protection (Prescribed Processes and Substances) Regulations 1991.

*This data is sourced from the Environment Agency and Natural Resources Wales.*

#### 4.15 Pollutant release to public sewer

Records within 500m	0
---------------------	---

Discharges of Special Category Effluents to the public sewer.

*This data is sourced from the Environment Agency and Natural Resources Wales.*

#### 4.16 List 1 Dangerous Substances

Records within 500m	0
---------------------	---

Discharges of substances identified on List I of European Directive E 2006/11/EC, and regulated under the Environmental Damage (Prevention and Remediation) Regulations 2015.

*This data is sourced from the Environment Agency and Natural Resources Wales.*

#### 4.17 List 2 Dangerous Substances

Records within 500m	0
---------------------	---

Discharges of substances identified on List II of European Directive E 2006/11/EC, and regulated under the Environmental Damage (Prevention and Remediation) Regulations 2015.

*This data is sourced from the Environment Agency and Natural Resources Wales.*

#### 4.18 Pollution Incidents (EA/NRW)

Records within 500m	1
---------------------	---

Records of substantiated pollution incidents. Since 2006 this data has only included category 1 (major) and 2 (significant) pollution incidents.

Features are displayed on the Current industrial land use map on **page 39**

ID	Location	Details	
13	425m NW	Incident Date: 12/03/2002 Incident Identification: 63606 Pollutant: Contaminated Water Pollutant Description: Other Contaminated Water	Water Impact: Category 3 (Minor) Land Impact: Category 4 (No Impact) Air Impact: Category 4 (No Impact)

*This data is sourced from the Environment Agency and Natural Resources Wales.*

#### 4.19 Pollution inventory substances

<b>Records within 500m</b>	<b>0</b>
----------------------------	----------

The pollution inventory (substances) includes reporting on annual emissions of certain regulated substances to air, controlled waters and land. A reporting threshold for each substance is also included. Where emissions fall below the reporting threshold, no value will be given. The data is given for the most recent complete year available.

*This data is sourced from the Environment Agency and the Scottish Environment Protection Agency.*

#### 4.20 Pollution inventory waste transfers

<b>Records within 500m</b>	<b>0</b>
----------------------------	----------

The pollution inventory (waste transfers) includes reporting on annual transfers and recovery/disposal of controlled wastes from a site. A reporting threshold for each waste type is also included. Where releases fall below the reporting threshold, no value will be given. The data is given for the most recent complete year available.

*This data is sourced from the Environment Agency and the Scottish Environment Protection Agency.*



#### 4.21 Pollution inventory radioactive waste

<b>Records within 500m</b>	<b>0</b>
----------------------------	----------

The pollution inventory (radioactive wastes) includes reporting on annual releases of radioactive substances from a site, including the means of release. Where releases fall below the reporting threshold, no value will be given. The data is given for the most recent complete year available.

*This data is sourced from the Environment Agency and the Scottish Environment Protection Agency.*

## 5 Hydrogeology - Superficial aquifer



### 5.1 Superficial aquifer

Records within 500m

1



Aquifer status of groundwater held within superficial geology.

Features are displayed on the Hydrogeology map on **page 47**

ID	Location	Designation	Description
1	235m N	Secondary A	Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers

*This data is sourced from the British Geological Survey, the Environment Agency and Natural Resources Wales.*

## Bedrock aquifer



### 5.2 Bedrock aquifer

Records within 500m

1



Aquifer status of groundwater held within bedrock geology.

Features are displayed on the Bedrock aquifer map on **page 48**

ID	Location	Designation	Description
1	On site	Secondary A	Permeable layers capable of supporting water supplies at a local rather than strategic scale, and in some cases forming an important source of base flow to rivers. These are generally aquifers formerly classified as minor aquifers

*This data is sourced from the British Geological Survey, the Environment Agency and Natural Resources Wales.*

## Groundwater vulnerability



### 5.3 Groundwater vulnerability

Records within 50m

1

An assessment of the vulnerability of groundwater to a pollutant discharged at ground level based on the hydrological, geological, hydrogeological and soil properties within a one kilometre square grid. Groundwater vulnerability is described as High, Medium or Low as follows:

- High - Areas able to easily transmit pollution to groundwater. They are likely to be characterised by high leaching soils and the absence of low permeability superficial deposits.
- Medium - Intermediate between high and low vulnerability.
- Low - Areas that provide the greatest protection from pollution. They are likely to be characterised by low leaching soils and/or the presence of superficial deposits characterised by a low permeability.

Features are displayed on the Groundwater vulnerability map on **page 49**

ID	Location	Summary	Soil / surface	Superficial geology	Bedrock geology
1	On site	<b>Summary Classification:</b> Secondary bedrock aquifer - Medium Vulnerability <b>Combined classification:</b> Productive Bedrock Aquifer, No Superficial Aquifer	<b>Leaching class:</b> Low <b>Infiltration value:</b> <40% <b>Dilution value:</b> 300- 550mm/year	<b>Vulnerability:</b> - <b>Aquifer type:</b> - <b>Thickness:</b> <3m <b>Patchiness value:</b> <90% <b>Recharge potential:</b> High	<b>Vulnerability:</b> Medium <b>Aquifer type:</b> Secondary <b>Flow mechanism:</b> Well connected fractures

*This data is sourced from the British Geological Survey, the Environment Agency and Natural Resources Wales.*

## 5.4 Groundwater vulnerability- soluble rock risk

<b>Records on site</b>	<b>0</b>
------------------------	----------

This dataset identifies areas where solution features that enable rapid movement of a pollutant may be present within a 1km grid square.

*This data is sourced from the British Geological Survey and the Environment Agency.*

## 5.5 Groundwater vulnerability- local information

<b>Records on site</b>	<b>0</b>
------------------------	----------

This dataset identifies areas where additional local information affecting vulnerability is held by the Environment Agency. Further information can be obtained by contacting the Environment Agency local Area groundwater team through the Environment Agency National Customer Call Centre on 03798 506 506 or by email on [enquiries@environment-agency.gov.uk](mailto:enquiries@environment-agency.gov.uk).

*This data is sourced from the British Geological Survey and the Environment Agency.*

## Abstractions and Source Protection Zones

### 5.6 Groundwater abstractions

Records within 2000m

0

Licensed groundwater abstractions for sites extracting more than 20 cubic metres of water a day and includes active and historical records. The data may be for a single abstraction point, between two points (line data) or a larger area.

*This data is sourced from the Environment Agency and Natural Resources Wales.*

### 5.7 Surface water abstractions

Records within 2000m

0

Licensed surface water abstractions for sites extracting more than 20 cubic metres of water a day and includes active and historical records. The data may be for a single abstraction point, a stretch of watercourse or a larger area.

*This data is sourced from the Environment Agency and Natural Resources Wales.*

### 5.8 Potable abstractions

Records within 2000m

0

Licensed potable water abstractions for sites extracting more than 20 cubic metres of water a day and includes active and historical records. The data may be for a single abstraction point, a stretch of watercourse or a larger area.

*This data is sourced from the Environment Agency and Natural Resources Wales.*

### 5.9 Source Protection Zones

Records within 500m

0

Source Protection Zones define the sensitivity of an area around a potable abstraction site to contamination.

*This data is sourced from the Environment Agency and Natural Resources Wales.*



## 5.10 Source Protection Zones (confined aquifer)

Records within 500m


0

Source Protection Zones in the confined aquifer define the sensitivity around a deep groundwater abstraction to contamination. A confined aquifer would normally be protected from contamination by overlying geology and is only considered a sensitive resource if deep excavation/drilling is taking place.

*This data is sourced from the Environment Agency and Natural Resources Wales.*



## 6 Hydrology



### 6.1 Water Network (OS MasterMap)

Records within 250m

16

Detailed water network of Great Britain showing the flow and precise central course of every river, stream, lake and canal.

Features are displayed on the Hydrology map on **page 53**

ID	Location	Type of water feature	Ground level	Permanence	Name
A	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-

ID	Location	Type of water feature	Ground level	Permanence	Name
A	On site	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
A	On site	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
1	142m NW	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
B	172m NW	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
C	197m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
2	212m N	Canal. A manmade watercourse for inland navigation.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
3	232m SE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
4	232m SE	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
D	233m SE	Inland river not influenced by normal tidal action.	Underground	Watercourse contains water year round (in normal circumstances)	-
C	236m N	Inland river not influenced by normal tidal action.	Not provided	Watercourse contains water year round (in normal circumstances)	-
E	236m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
5	241m N	Canal. A manmade watercourse for inland navigation.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
F	241m N	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-



ID	Location	Type of water feature	Ground level	Permanence	Name
D	243m E	Inland river not influenced by normal tidal action.	On ground surface	Watercourse contains water year round (in normal circumstances)	-
D	246m E	Inland river not influenced by normal tidal action.	Not provided	Watercourse contains water year round (in normal circumstances)	-

*This data is sourced from the Ordnance Survey.*

## 6.2 Surface water features

<b>Records within 250m</b>	<b>6</b>
----------------------------	----------

Covering rivers, streams and lakes (some overlap with OS MasterMap Water Network data in previous section) but additionally covers smaller features such as ponds. Rivers and streams narrower than 5m are represented as a single line. Lakes, ponds and rivers or streams wider than 5m are represented as polygons.

Features are displayed on the Hydrology map on **page 53**

*This data is sourced from the Ordnance Survey.*

## 6.3 WFD Surface water body catchments

<b>Records on site</b>	<b>1</b>
------------------------	----------

The Water Framework Directive is an EU-led framework for the protection of inland surface waters, estuaries, coastal waters and groundwater through river basin-level management planning. In terms of surface water, these basins are broken down into smaller units known as management, operational and water body catchments.

Features are displayed on the Hydrology map on **page 53**

ID	Location	Type	Water body catchment	Water body ID	Operational catchment	Management catchment
A	On site	River	Dearne from Cawthorne Dyke to Lundwood STW	GB104027063171	Dearne	Don and Rother

*This data is sourced from the Environment Agency and Natural Resources Wales.*

## 6.4 WFD Surface water bodies

<b>Records identified</b>	<b>1</b>
---------------------------	----------

Surface water bodies under the Directive may be rivers, lakes, estuary or coastal. To achieve the purpose of the Directive, environmental objectives have been set and are reported on for each water body. The progress towards delivery of the objectives is then reported on by the relevant competent authorities at the end of each six-year cycle. The river water body directly associated with the catchment listed in the previous section is detailed below, along with any lake, canal, coastal or artificial water body within 250m of the site. Click on the water body ID in the table to visit the EA Catchment Explorer to find out more about each water body listed.

Features are displayed on the Hydrology map on **page 53**

ID	Location	Type	Name	Water body ID	Overall rating	Chemical rating	Ecological rating	Year
-	592m N	River	Dearne from Cawthorne Dyke to Lundwood STW	<a href="#">GB104027063171</a>	Moderate	Fail	Moderate	2019

*This data is sourced from the Environment Agency and Natural Resources Wales.*

## 6.5 WFD Groundwater bodies

<b>Records on site</b>	<b>1</b>
------------------------	----------



Groundwater bodies are also covered by the Directive and the same regime of objectives and reporting detailed in the previous section is in place. Click on the water body ID in the table to visit the EA Catchment Explorer to find out more about each groundwater body listed.

Features are displayed on the Hydrology map on **page 53**

ID	Location	Name	Water body ID	Overall rating	Chemical rating	Quantitative	Year
A	On site	Don & Rother Millstone grit & Coal Measures	<a href="#">GB40402G992300</a>	Poor	Poor	Good	2019

*This data is sourced from the Environment Agency and Natural Resources Wales.*

## 7 River and coastal flooding



### 7.1 Risk of flooding from rivers and the sea

Records within 50m

0

The chance of flooding from rivers and/or the sea in any given year, based on cells of 50m within the Risk of Flooding from Rivers and Sea (RoFRaS)/Flood Risk Assessment Wales (FRAW) models. Each cell is allocated one of four flood risk categories, taking into account flood defences and their condition. The risk categories for RoFRaS for rivers and the sea and FRAW for rivers are; Very low (less than 1 in 1000 chance in any given year), Low (less than 1 in 100 but greater than or equal to 1 in 1000 chance), Medium (less than 1 in 30 but greater than or equal to 1 in 100 chance) or High (greater than or equal to 1 in 30 chance). The risk categories for FRAW for the sea are; Very low (less than 1 in 1000 chance in any given year), Low (less than 1 in 200 but greater than or equal to 1 in 1000 chance), Medium (less than 1 in 30 but greater than or equal to 1 in 200 chance) or High (greater than or equal to 1 in 30 chance).

*This data is sourced from the Environment Agency and Natural Resources Wales.*

## 7.2 Historical Flood Events

Records within 250m

2

Records of historic flooding from rivers, the sea, groundwater and surface water. Records began in 1946 when predecessor bodies started collecting detailed information about flooding incidents, although limited details may be included on flooding incidents prior to this date. Takes into account the presence of defences, structures, and other infrastructure where they existed at the time of flooding, and includes flood extents that may have been affected by overtopping, breaches or blockages.

Features are displayed on the River and coastal flooding map on **page 57**

ID	Location	Event name	Date of flood	Flood source	Flood cause	Type of flood
A	213m N	123 Autumn 2000	2000-10-01 2000-11-30	Main river	Unknown	No data
A	228m N	June 2007 Flood Event (Ridings Area)	2007-06-25 2007-06-26	Unknown	Unknown	Fluvial

*This data is sourced from the Environment Agency and Natural Resources Wales.*

## 7.3 Flood Defences

Records within 250m

0

Records of flood defences owned, managed or inspected by the Environment Agency and Natural Resources Wales. Flood defences can be structures, buildings or parts of buildings. Typically these are earth banks, stone and concrete walls, or sheet-piling that is used to prevent or control the extent of flooding.

*This data is sourced from the Environment Agency and Natural Resources Wales.*

## 7.4 Areas Benefiting from Flood Defences

Records within 250m

0

Areas that would benefit from the presence of flood defences in a 1 in 100 (1%) chance of flooding each year from rivers or 1 in 200 (0.5%) chance of flooding each year from the sea.

*This data is sourced from the Environment Agency and Natural Resources Wales.*



## 7.5 Flood Storage Areas

Records within 250m

1

Areas that act as a balancing reservoir, storage basin or balancing pond to attenuate an incoming flood peak to a flow level that can be accepted by the downstream channel or to delay the timing of a flood peak so that its volume is discharged over a longer period.

Features are displayed on the River and coastal flooding map on **page 57**

ID	Location	Update
A	230m N	Flood Storage Area

*This data is sourced from the Environment Agency and Natural Resources Wales.*

## River and coastal flooding - Flood Zones

### 7.6 Flood Zone 2

Records within 50m

0

Areas of land at risk of flooding, when the presence of flood defences are ignored. Covering land between Flood Zone 3 (see next section) and the extent of the flooding from rivers or the sea with a 1 in 1000 (0.1%) chance of flooding each year.

*This data is sourced from the Environment Agency and Natural Resources Wales.*

### 7.7 Flood Zone 3

Records within 50m



0

Areas of land at risk of flooding, when the presence of flood defences are ignored. Covering land with a 1 in 100 (1%) or greater chance of flooding each year from rivers or a 1 in 200 (0.5%) or greater chance of flooding each year from the sea.

*This data is sourced from the Environment Agency and Natural Resources Wales.*



## 8 Surface water flooding



### 8.1 Surface water flooding

Highest risk on site

Negligible

Highest risk within 50m

1 in 30 year, 0.3m - 1.0m

Ambiental Risk Analytics surface water (pluvial) FloodMap identifies areas likely to flood as a result of extreme rainfall events, i.e. land naturally vulnerable to surface water ponding or flooding. This data set was produced by simulating 1 in 30 year, 1 in 100 year, 1 in 250 year and 1 in 1,000 year rainfall events. Modern urban drainage systems are typically built to cope with rainfall events between 1 in 20 and 1 in 30 years, though some older ones may flood in a 1 in 5 year rainfall event.

Features are displayed on the Surface water flooding map on **page 61**


The data shown on the map and in the table above shows the highest likelihood of flood events happening at the site. Lower likelihood events may have greater flood depths and hence a greater potential impact on a site.

The table below shows the maximum flood depths for a range of return periods for the site.

Return period	Maximum modelled depth
1 in 1000 year	Negligible
1 in 250 year	Negligible
1 in 100 year	Negligible
1 in 30 year	Negligible

*This data is sourced from Ambiental Risk Analytics.*

## 9 Groundwater flooding



### 9.1 Groundwater flooding

**Highest risk on site**

**Negligible**

**Highest risk within 50m**


**Negligible**

Groundwater flooding is caused by unusually high groundwater levels. It occurs when the water table rises above the ground surface or within underground structures such as basements or cellars. Groundwater flooding tends to exhibit a longer duration than surface water flooding, possibly lasting for weeks or months, and as a result it can cause significant damage to property. This risk assessment is based on a 1 in 100 year return period and a 5m Digital Terrain Model (DTM).

Features are displayed on the Groundwater flooding map on **page 63**

*This data is sourced from Ambiental Risk Analytics.*

## 10 Environmental designations



### 10.1 Sites of Special Scientific Interest (SSSI)

Records within 2000m

0

Sites providing statutory protection for the best examples of UK flora, fauna, or geological or physiographical features. Originally notified under the National Parks and Access to the Countryside Act 1949, SSSIs were re-notified under the Wildlife and Countryside Act 1981. Improved provisions for the protection and management of SSSIs were introduced by the Countryside and Rights of Way Act 2000 (in England and Wales) and (in Scotland) by the Nature Conservation (Scotland) Act 2004 and the Wildlife and Natural Environment (Scotland) Act 2010.

*This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.*

## 10.2 Conserved wetland sites (Ramsar sites)

Records within 2000m

0

Ramsar sites are designated under the Convention on Wetlands of International Importance, agreed in Ramsar, Iran, in 1971. They cover all aspects of wetland conservation and wise use, recognizing wetlands as ecosystems that are extremely important for biodiversity conservation in general and for the well-being of human communities. These sites cover a broad definition of wetland; marsh, fen, peatland or water, whether natural or artificial, permanent or temporary, with water that is static or flowing, fresh, brackish or salt, and even some marine areas.

*This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.*

## 10.3 Special Areas of Conservation (SAC)

Records within 2000m

0

Areas which have been identified as best representing the range and variety within the European Union of habitats and (non-bird) species listed on Annexes I and II to the Directive. SACs are designated under the EC Habitats Directive.

*This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.*

## 10.4 Special Protection Areas (SPA)

Records within 2000m

0

Sites classified by the UK Government under the EC Birds Directive, SPAs are areas of the most important habitat for rare (listed on Annex I to the Directive) and migratory birds within the European Union.

*This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.*

## 10.5 National Nature Reserves (NNR)

Records within 2000m

0

Sites containing examples of some of the most important natural and semi-natural terrestrial and coastal ecosystems in Great Britain. They are managed to conserve their habitats, provide special opportunities for scientific study or to provide public recreation compatible with natural heritage interests.

*This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.*



## 10.6 Local Nature Reserves (LNR)

Records within 2000m

0

Sites managed for nature conservation, and to provide opportunities for research and education, or simply enjoying and having contact with nature. They are declared by local authorities under the National Parks and Access to the Countryside Act 1949 after consultation with the relevant statutory nature conservation agency.

*This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.*

## 10.7 Designated Ancient Woodland

Records within 2000m

5

Ancient woodlands are classified as areas which have been wooded continuously since at least 1600 AD. This includes semi-natural woodland and plantations on ancient woodland sites. 'Wooded continuously' does not mean there is or has previously been continuous tree cover across the whole site, and not all trees within the woodland have to be old.

Features are displayed on the Environmental designations map on **page 64**

ID	Location	Name	Woodland Type
-	1774m SW	Hugset Wood	Ancient Replanted Woodland
-	1867m SW	Unknown	Ancient & Semi-Natural Woodland
-	1869m SW	Unknown	Ancient & Semi-Natural Woodland
-	1891m SW	Hugset Wood	Ancient Replanted Woodland
-	1922m SW	Hugset Wood	Ancient & Semi-Natural Woodland

*This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.*

## 10.8 Biosphere Reserves

Records within 2000m

0

Biosphere Reserves are internationally recognised by UNESCO as sites of excellence to balance conservation and socioeconomic development between nature and people. They are recognised under the Man and the Biosphere (MAB) Programme with the aim of promoting sustainable development founded on the work of the local community.

*This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.*

## 10.9 Forest Parks

Records within 2000m

0

These are areas managed by the Forestry Commission designated on the basis of recreational, conservation or scenic interest.

*This data is sourced from the Forestry Commission.*

## 10.10 Marine Conservation Zones

Records within 2000m

0

A type of marine nature reserve in UK waters established under the Marine and Coastal Access Act (2009). They are designated with the aim to protect nationally important, rare or threatened habitats and species.

*This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.*

## 10.11 Green Belt

Records within 2000m

2

Areas designated to prevent urban sprawl by keeping land permanently open.

Features are displayed on the Environmental designations map on **page 64**

ID	Location	Name	Local Authority name
1	9m NE	South and West Yorkshire	Barnsley
2	1450m SW	South and West Yorkshire	Barnsley

*This data is sourced from the Ministry of Housing, Communities and Local Government.*

## 10.12 Proposed Ramsar sites

Records within 2000m

0

Ramsar sites are areas listed as a Wetland of International Importance under the Convention on Wetlands of International Importance especially as Waterfowl Habitat (the Ramsar Convention) 1971. The sites here supplied have a status of 'Proposed' having been identified for potential adoption under the framework.

*This data is sourced from Natural England.*

### 10.13 Possible Special Areas of Conservation (pSAC)

Records within 2000m

0

Special Areas of Conservation are areas which have been identified as best representing the range and variety within the European Union of habitats and (non-bird) species listed on Annexes I and II to the Directive. SACs are designated under the EC Habitats Directive. Those sites supplied here are those with a status of 'Possible' having been identified for potential adoption under the framework.

*This data is sourced from Natural England and Natural Resources Wales.*

### 10.14 Potential Special Protection Areas (pSPA)

Records within 2000m

0

Special Protection Areas (SPAs) are areas designated (or 'classified') under the European Union Wild Birds Directive for the protection of nationally and internationally important populations of wild birds. Those sites supplied here are those with a status of 'Potential' having been identified for potential adoption under the framework.

*This data is sourced from Natural England.*

### 10.15 Nitrate Sensitive Areas

Records within 2000m

0

Areas where nitrate concentrations in drinking water sources exceeded or was at risk of exceeding the limit of 50 mg/l set by the 1980 EC Drinking Water Directive. Voluntary agricultural measures as a means of reducing the levels of nitrate were introduced by DEFRA as MAFF, with payments being made to farmers who complied. The scheme was started as a pilot in 1990 in ten areas, later implemented within 32 areas. The scheme was closed to further new entrants in 1998, although existing agreements continued for their full term. All Nitrate Sensitive Areas fell within the areas designated as Nitrate Vulnerable Zones (NVZs) in 1996 under the EC Nitrate Directive (91/676/EEC).

*This data is sourced from Natural England.*

### 10.16 Nitrate Vulnerable Zones

Records within 2000m

2

Areas at risk from agricultural nitrate pollution designated under the EC Nitrate Directive (91/676/EEC). These are areas of land that drain into waters polluted by nitrates. Farmers operating within these areas have to follow mandatory rules to tackle nitrate loss from agriculture.

Location	Name	Type	NVZ ID	Status
On site	River Dearne NVZ	Surface Water	278	Existing





Location	Name	Type	NVZ ID	Status
1787m E	River Dearne NVZ	Surface Water	278	Existing

*This data is sourced from Natural England and Natural Resources Wales.*



## SSSI Impact Zones and Units



### 10.17 SSSI Impact Risk Zones

Records on site

2

Developed to allow rapid initial assessment of the potential risks to SSSIs posed by development proposals. They define zones around each SSSI which reflect the particular sensitivities of the features for which it is notified and indicate the types of development proposal which could potentially have adverse impacts.

Features are displayed on the SSSI Impact Zones and Units map on **page 70**

ID	Location	Type of developments requiring consultation
1	On site	<p>Infrastructure - Airports, helipads and other aviation proposals.</p> <p>Air pollution - Livestock &amp; poultry units with floorspace &gt; 500m<sup>2</sup>, slurry lagoons &amp; digestate stores &gt; 4000m<sup>2</sup>.</p> <p>Combustion - General combustion processes &gt;50mw energy input. incl: energy from waste incineration, other incineration, landfill gas generation plant, pyrolysis/gasification, anaerobic digestion, sewage treatment works, other incineration/ combustion.</p> <p>Discharges - Any discharge of water or liquid waste of more than 20m<sup>3</sup>/day to ground (ie to seep away) or to surface water, such as a beck or stream.</p>
2	On site	<p>Infrastructure - Airports, helipads and other aviation proposals.</p> <p>Air pollution - Livestock &amp; poultry units with floorspace &gt; 500m<sup>2</sup>, slurry lagoons &amp; digestate stores &gt; 750m<sup>2</sup>, manure stores &gt; 3500t.</p> <p>Combustion - General combustion processes &gt;50mw energy input. incl: energy from waste incineration, other incineration, landfill gas generation plant, pyrolysis/gasification, anaerobic digestion, sewage treatment works, other incineration/ combustion.</p> <p>Discharges - Any discharge of water or liquid waste of more than 20m<sup>3</sup>/day to ground (ie to seep away) or to surface water, such as a beck or stream.</p>

*This data is sourced from Natural England.*

## 10.18 SSSI Units

<b>Records within 2000m</b>	<b>0</b>
-----------------------------	----------

Divisions of SSSIs used to record management and condition details. Units are the smallest areas for which Natural England gives a condition assessment, however, the size of units varies greatly depending on the types of management and the conservation interest.

*This data is sourced from Natural England and Natural Resources Wales.*

## 11 Visual and cultural designations

### 11.1 World Heritage Sites

Records within 250m

0

Sites designated for their globally important cultural or natural interest requiring appropriate management and protection measures. World Heritage Sites are designated to meet the UK's commitments under the World Heritage Convention.

*This data is sourced from Historic England, Cadw and Historic Environment Scotland.*

### 11.2 Area of Outstanding Natural Beauty

Records within 250m

0

Areas of Outstanding Natural Beauty (AONB) are conservation areas, chosen because they represent 18% of the finest countryside. Each AONB has been designated for special attention because of the quality of their flora, fauna, historical and cultural associations, and/or scenic views. The National Parks and Access to the Countryside Act of 1949 created AONBs and the Countryside and Rights of Way Act, 2000 added further regulation and protection. There are likely to be restrictions to some developments within these areas.

*This data is sourced from Natural England, Natural Resources Wales and Scottish Natural Heritage.*

### 11.3 National Parks

Records within 250m

0

In England and Wales, the purpose of National Parks is to conserve and enhance landscapes within the countryside whilst promoting public enjoyment of them and having regard for the social and economic well-being of those living within them. In Scotland National Parks have the additional purpose of promoting the sustainable use of the natural resources of the area and the sustainable social and economic development of its communities. The National Parks and Access to the Countryside Act 1949 established the National Park designation in England and Wales, and The National Parks (Scotland) Act 2000 in Scotland.

*This data is sourced from Natural England, Natural Resources Wales and the Scottish Government.*

### 11.4 Listed Buildings

Records within 250m

0

Buildings listed for their special architectural or historical interest. Building control in the form of 'listed building consent' is required in order to make any changes to that building which might affect its special interest. Listed buildings are graded to indicate their relative importance, however building controls apply to all buildings equally, irrespective of their grade, and apply to the interior and exterior of the building in its entirety, together with any curtilage structures.



*This data is sourced from Historic England, Cadw and Historic Environment Scotland.*

## 11.5 Conservation Areas

**Records within 250m**

**0**

Local planning authorities are obliged to designate as conservation areas any parts of their own area that are of special architectural or historic interest, the character and appearance of which it is desirable to preserve or enhance. Designation of a conservation area gives broader protection than the listing of individual buildings. All the features within the area, listed or otherwise, are recognised as part of its character. Conservation area designation is the means of recognising the importance of all factors and of ensuring that planning decisions address the quality of the landscape in its broadest sense.

*This data is sourced from Historic England, Cadw and Historic Environment Scotland.*

## 11.6 Scheduled Ancient Monuments

**Records within 250m**

**0**

A scheduled monument is an historic building or site that is included in the Schedule of Monuments kept by the Secretary of State for Digital, Culture, Media and Sport. The regime is set out in the Ancient Monuments and Archaeological Areas Act 1979. The Schedule of Monuments has c.20,000 entries and includes sites such as Roman remains, burial mounds, castles, bridges, earthworks, the remains of deserted villages and industrial sites. Monuments are not graded, but all are, by definition, considered to be of national importance.

*This data is sourced from Historic England, Cadw and Historic Environment Scotland.*

## 11.7 Registered Parks and Gardens

**Records within 250m**



**0**

Parks and gardens assessed to be of particular interest and of special historic interest. The emphasis being on 'designed' landscapes, rather than on planting or botanical importance. Registration is a 'material consideration' in the planning process, meaning that planning authorities must consider the impact of any proposed development on the special character of the landscape.

*This data is sourced from Historic England, Cadw and Historic Environment Scotland.*



## 12 Agricultural designations



### 12.1 Agricultural Land Classification

Records within 250m

2

Classification of the quality of agricultural land taking into consideration multiple factors including climate, physical geography and soil properties. It should be noted that the categories for the grading of agricultural land are not consistent across England, Wales and Scotland.

Features are displayed on the Agricultural designations map on **page 74**

ID	Location	Classification	Description
1	On site	Grade 3	Good to moderate quality agricultural land. Land with moderate limitations which affect the choice of crops, timing and type of cultivation, harvesting or the level of yield. Where more demanding crops are grown yields are generally lower or more variable than on land in Grades 1 and 2.

2	247m S	Urban	-
---	--------	-------	---

*This data is sourced from Natural England.*

## 12.2 Open Access Land

**Records within 250m**

**0**

The Countryside and Rights of Way Act 2000 (CROW Act) gives a public right of access to land without having to use paths. Access land includes mountains, moors, heaths and downs that are privately owned. It also includes common land registered with the local council and some land around the England Coast Path. Generally permitted activities on access land are walking, running, watching wildlife and climbing.

*This data is sourced from Natural England and Natural Resources Wales.*

## 12.3 Tree Felling Licences

**Records within 250m**

**0**

Felling Licence Application (FLA) areas approved by Forestry Commission England. Anyone wishing to fell trees must ensure that a licence or permission under a grant scheme has been issued by the Forestry Commission before any felling is carried out or that one of the exceptions apply.

*This data is sourced from the Forestry Commission.*

## 12.4 Environmental Stewardship Schemes

**Records within 250m**

**0**

Environmental Stewardship covers a range of schemes that provide financial incentives to farmers, foresters and land managers to look after and improve the environment. The schemes identified may be historical schemes that have now expired, or may still be active.

*This data is sourced from Natural England.*

## 12.5 Countryside Stewardship Schemes

**Records within 250m**


**0**

Countryside Stewardship covers a range of schemes that provide financial incentives to farmers, foresters and land managers to look after and improve the environment. Main objectives are to improve the farmed environment for wildlife and to reduce diffuse water pollution.

*This data is sourced from Natural England.*



## 13 Habitat designations



### 13.1 Priority Habitat Inventory

Records within 250m

3

Habitats of principal importance as named under Natural Environment and Rural Communities Act (2006) Section 41.

Features are displayed on the Habitat designations map on **page 76**

ID	Location	Main Habitat	Other habitats
1	29m NE	Deciduous woodland	Main habitat: DWOOD (INV > 50%)
2	174m NW	Deciduous woodland	Main habitat: DWOOD (INV > 50%)
3	237m N	Deciduous woodland	Main habitat: DWOOD (INV > 50%)

*This data is sourced from Natural England.*

## 13.2 Habitat Networks

Records within 250m

0

Habitat networks for 18 priority habitat networks (based primarily, but not exclusively, on the priority habitat inventory) and areas suitable for the expansion of networks through restoration and habitat creation.

*This data is sourced from Natural England.*

## 13.3 Open Mosaic Habitat

Records within 250m

0

Sites verified as Open Mosaic Habitat. Mosaic habitats are brownfield sites that are identified under the UK Biodiversity Action Plan as a priority habitat due to the habitat variation within a single site, supporting an array of invertebrates.

*This data is sourced from Natural England.*

## 13.4 Limestone Pavement Orders

Records within 250m


0

Limestone pavements are outcrops of limestone where the surface has been worn away by natural means over millennia. These rocks have the appearance of paving blocks, hence their name. Not only do they have geological interest, they also provide valuable habitats for wildlife. These habitats are threatened due to their removal for use in gardens and water features. Many limestone pavements have been designated as SSSIs which affords them some protection. In addition, Section 34 of the Wildlife and Countryside Act 1981 gave them additional protection via the creation of Limestone Pavement Orders, which made it a criminal offence to remove any part of the outcrop. The associated Limestone Pavement Priority Habitat is part of the UK Biodiversity Action Plan priority habitat in England.

*This data is sourced from Natural England.*



## 14 Geology 1:10,000 scale - Availability



— Site Outline  
Search buffers in metres (m)

- Full coverage
- Partial coverage
- No coverage

### 14.1 10k Availability

Records within 500m

1


An indication on the coverage of 1:10,000 scale geology data for the site, the most detailed dataset provided by the British Geological Survey. Either 'Full', 'Partial' or 'No coverage' for each geological theme.

Features are displayed on the Geology 1:10,000 scale - Availability map on **page 78**

ID	Location	Artificial	Superficial	Bedrock	Mass movement	Sheet No.
1	On site	Full	Full	Full	Full	SE30NW

*This data is sourced from the British Geological Survey.*

## Geology 1:10,000 scale - Artificial and made ground



— Site Outline  
Search buffers in metres (m)

- Reclaimed ground
- Made ground
- Worked ground
- Infilled ground
- Disturbed ground
- Landscaped ground

### 14.2 Artificial and made ground (10k)

Records within 500m

6

Details of made, worked, infilled, disturbed and landscaped ground at 1:10,000 scale. Artificial ground can be associated with potentially contaminated material, unpredictable engineering conditions and instability.

Features are displayed on the Geology 1:10,000 scale - Artificial and made ground map on **page 79**

ID	Location	LEX Code	Description	Rock description
1	On site	MGR-ARTDP	Made Ground (Undivided)	Artificial Deposit
2	10m NE	MGR-ARTDP	Made Ground (Undivided)	Artificial Deposit
3	210m NE	WMGR-ARTDP	Infilled Ground	Artificial Deposit
4	263m SE	WMGR-ARTDP	Infilled Ground	Artificial Deposit




ID	Location	LEX Code	Description	Rock description
5	343m SE	MGR-ARTDP	Made Ground (Undivided)	Artificial Deposit
6	461m SW	WMGR-ARTDP	Infilled Ground	Artificial Deposit

*This data is sourced from the British Geological Survey.*



## Geology 1:10,000 scale - Superficial



- Site Outline
- Search buffers in metres (m)
- ▨ Landslip (10k)
- Superficial geology (10k)  
Please see table for more details.

### 14.3 Superficial geology (10k)

#### Records within 500m

1

Superficial geological deposits at 1:10,000 scale. Also known as 'drift', these are the youngest geological deposits, formed during the Quaternary. They rest on older deposits or rocks referred to as bedrock.

Features are displayed on the Geology 1:10,000 scale - Superficial map on **page 81**

ID	Location	LEX Code	Description	Rock description
1	233m N	ALV-XCZ	Alluvium - Clay And Silt	Clay And Silt

*This data is sourced from the British Geological Survey.*

## 14.4 Landslip (10k)

Records within 500m

0

Mass movement deposits on BGS geological maps at 1:10,000 scale. Primarily superficial deposits that have moved down slope under gravity to form landslips. These affect bedrock, other superficial deposits and artificial ground.

*This data is sourced from the British Geological Survey.*



## Geology 1:10,000 scale - Bedrock



- Site Outline
- Search buffers in metres (m)
- Bedrock faults and other linear features (10k)
- Bedrock geology (10k)  
Please see table for more details.

### 14.5 Bedrock geology (10k)

Records within 500m

11

Bedrock geology at 1:10,000 scale. The main mass of rocks forming the Earth and present everywhere, whether exposed at the surface in outcrops or concealed beneath superficial deposits or water.

Features are displayed on the Geology 1:10,000 scale - Bedrock map on **page 83**

ID	Location	LEX Code	Description	Rock age
1	On site	PMCM-SDST	Pennine Middle Coal Measures Formation - Sandstone	Bolsovia Sub-age - Duckmantian Sub-age
2	On site	PMCM-MDSS	Pennine Middle Coal Measures Formation - Mudstone, Siltstone And Sandstone	Bolsovia Sub-age - Duckmantian Sub-age

ID	Location	LEX Code	Description	Rock age
5	93m NE	PMCM-MDSS	Pennine Middle Coal Measures Formation - Mudstone, Siltstone And Sandstone	Bolsovia Sub-age - Duckmantian Sub-age
7	125m NW	PMCM-MDSS	Pennine Middle Coal Measures Formation - Mudstone, Siltstone And Sandstone	Bolsovia Sub-age - Duckmantian Sub-age
15	155m N	PMCM-MDSS	Pennine Middle Coal Measures Formation - Mudstone, Siltstone And Sandstone	Bolsovia Sub-age - Duckmantian Sub-age
22	252m NW	PMCM-MDSS	Pennine Middle Coal Measures Formation - Mudstone, Siltstone And Sandstone	Bolsovia Sub-age - Duckmantian Sub-age
23	255m NW	HMR-SDST	Haigh Moor Rock - Sandstone	Duckmantian Sub-age
28	289m W	HMR-SDST	Haigh Moor Rock - Sandstone	Duckmantian Sub-age
35	343m E	BNR-SDST	Barnsley Rock - Sandstone	Duckmantian Sub-age
38	421m NE	BNR-SDST	Barnsley Rock - Sandstone	Duckmantian Sub-age
39	436m NE	BNR-SDST	Barnsley Rock - Sandstone	Duckmantian Sub-age

This data is sourced from the British Geological Survey.

## 14.6 Bedrock faults and other linear features (10k)

Records within 500m

34

Linear features at the ground or bedrock surface at 1:10,000 scale of six main types; rock, fault, fold axis, mineral vein, alteration area or landform. Features are either observed or inferred, and relate primarily to bedrock.

Features are displayed on the Geology 1:10,000 scale - Bedrock map on **page 83**

ID	Location	Category	Description
<b>3</b>	<b>On site</b>	<b>ROCK</b>	<b>Coal seam, inferred</b>
4	52m W	ROCK	Coal seam, inferred
6	125m NW	FAULT	Normal fault, inferred
8	126m NW	FAULT	Normal fault, inferred
9	126m NW	FAULT	Normal fault, inferred
10	133m NW	FAULT	Normal fault, inferred
11	145m NW	FAULT	Normal fault, inferred
12	146m N	ROCK	Coal seam, inferred




ID	Location	Category	Description
13	155m N	FAULT	Normal fault, inferred
14	155m N	FAULT	Normal fault, inferred
16	178m NE	ROCK	Coal seam, observed
17	210m NE	ROCK	Coal seam, observed
18	219m W	FAULT	Normal fault, inferred
19	235m NW	ROCK	Coal seam, inferred
20	243m W	FAULT	Normal fault, inferred
21	252m NW	FAULT	Normal fault, inferred
24	264m S	ROCK	Coal seam, observed
25	267m NW	ROCK	Coal seam, inferred
26	272m W	FAULT	Normal fault, inferred
27	289m W	ROCK	Coal seam, inferred
29	297m NE	ROCK	Coal seam, inferred
30	302m NE	ROCK	Coal seam, observed
31	303m W	FAULT	Normal fault, inferred
32	312m N	ROCK	Coal seam, inferred
33	316m S	ROCK	Coal seam, inferred
34	337m W	FAULT	Normal fault, inferred
36	381m SE	ROCK	Coal seam, inferred
37	404m W	FAULT	Normal fault, inferred
40	438m NE	ROCK	Coal seam, observed
41	461m SW	ROCK	Coal seam, observed
42	472m N	ROCK	Coal seam, inferred
43	480m SW	FAULT	Normal fault, inferred
44	486m SE	ROCK	Coal seam, inferred
45	498m SW	ROCK	Coal seam, observed

*This data is sourced from the British Geological Survey.*



## 15 Geology 1:50,000 scale - Availability



- Site Outline
- Search buffers in metres (m)
- Geological map tile

### 15.1 50k Availability

Records within 500m

1

An indication on the coverage of 1:50,000 scale geology data for the site. Either 'Full' or 'No coverage' for each geological theme.



Features are displayed on the Geology 1:50,000 scale - Availability map on **page 86**

ID	Location	Artificial	Superficial	Bedrock	Mass movement	Sheet No.
1	On site	No coverage	Full	Full	Full	EW087_barnsley_v4

*This data is sourced from the British Geological Survey.*



## Geology 1:50,000 scale - Artificial and made ground



### 15.2 Artificial and made ground (50k)

Records within 500m

6

Details of made, worked, infilled, disturbed and landscaped ground at 1:50,000 scale. Artificial ground can be associated with potentially contaminated material, unpredictable engineering conditions and instability.

Features are displayed on the Geology 1:50,000 scale - Artificial and made ground map on **page 87**

ID	Location	LEX Code	Description	Rock description
1	On site	MGR-ARTDP	MADE GROUND (UNDIVIDED)	ARTIFICIAL DEPOSIT
2	211m NE	WMGR-ARTDP	INFILLED GROUND	ARTIFICIAL DEPOSIT
3	259m SE	WMGR-ARTDP	INFILLED GROUND	ARTIFICIAL DEPOSIT
4	350m SE	MGR-ARTDP	MADE GROUND (UNDIVIDED)	ARTIFICIAL DEPOSIT



ID	Location	LEX Code	Description	Rock description
5	386m NW	MGR-ARTDP	MADE GROUND (UNDIVIDED)	ARTIFICIAL DEPOSIT
6	457m SW	WMGR-ARTDP	INFILLED GROUND	ARTIFICIAL DEPOSIT

*This data is sourced from the British Geological Survey.*

### 15.3 Artificial ground permeability (50k)


<b>Records within 50m</b>	<b>1</b>
---------------------------	----------

A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of any artificial deposits (the zone between the land surface and the water table).

Location	Flow type	Maximum permeability	Minimum permeability
<b>On site</b>	<b>Mixed</b>	<b>Very High</b>	<b>Low</b>

*This data is sourced from the British Geological Survey.*

## Geology 1:50,000 scale - Superficial



- Site Outline
- Search buffers in metres (m)
- ▨ Landslip (50k)
- Superficial geology (50k)  
Please see table for more details.

### 15.4 Superficial geology (50k)

#### Records within 500m

1

Superficial geological deposits at 1:50,000 scale. Also known as 'drift', these are the youngest geological deposits, formed during the Quaternary. They rest on older deposits or rocks referred to as bedrock.

Features are displayed on the Geology 1:50,000 scale - Superficial map on **page 89**

ID	Location	LEX Code	Description	Rock description
1	235m N	ALV-XCZSV	ALLUVIUM	CLAY, SILT, SAND AND GRAVEL

*This data is sourced from the British Geological Survey.*



## 15.5 Superficial permeability (50k)

Records within 50m

0

A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of any superficial deposits (the zone between the land surface and the water table).

*This data is sourced from the British Geological Survey.*

## 15.6 Landslip (50k)

Records within 500m

0

Mass movement deposits on BGS geological maps at 1:50,000 scale. Primarily superficial deposits that have moved down slope under gravity to form landslips. These affect bedrock, other superficial deposits and artificial ground.

*This data is sourced from the British Geological Survey.*

## 15.7 Landslip permeability (50k)

Records within 50m

0

A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of any landslip deposits (the zone between the land surface and the water table).

*This data is sourced from the British Geological Survey.*



## Geology 1:50,000 scale - Bedrock



- Site Outline
- Search buffers in metres (m)
- Bedrock faults and other linear features (50k)
- Bedrock geology (50k)  
Please see table for more details.

### 15.8 Bedrock geology (50k)

Records within 500m

9

Bedrock geology at 1:50,000 scale. The main mass of rocks forming the Earth and present everywhere, whether exposed at the surface in outcrops or concealed beneath superficial deposits or water.

Features are displayed on the Geology 1:50,000 scale - Bedrock map on **page 91**

ID	Location	LEX Code	Description	Rock age
1	On site	PMCM-MDSS	PENNINE MIDDLE COAL MEASURES FORMATION - MUDSTONE, SILTSTONE AND SANDSTONE	WESTPHALIAN
3	On site	PMCM-SDST	PENNINE MIDDLE COAL MEASURES FORMATION - SANDSTONE	WESTPHALIAN

ID	Location	LEX Code	Description	Rock age
5	97m E	PMCM-MDSS	PENNINE MIDDLE COAL MEASURES FORMATION - MUDSTONE, SILTSTONE AND SANDSTONE	WESTPHALIAN
6	125m NW	PMCM-MDSS	PENNINE MIDDLE COAL MEASURES FORMATION - MUDSTONE, SILTSTONE AND SANDSTONE	WESTPHALIAN
15	247m NW	HMR-SDST	HAIGH MOOR ROCK - SANDSTONE	WESTPHALIAN
16	252m NW	PMCM-MDSS	PENNINE MIDDLE COAL MEASURES FORMATION - MUDSTONE, SILTSTONE AND SANDSTONE	WESTPHALIAN
20	289m W	HMR-SDST	HAIGH MOOR ROCK - SANDSTONE	WESTPHALIAN
24	342m E	BNR-SDST	BARNSELY ROCK - SANDSTONE	WESTPHALIAN
33	423m NE	BNR-SDST	BARNSELY ROCK - SANDSTONE	WESTPHALIAN

This data is sourced from the British Geological Survey.

## 15.9 Bedrock permeability (50k)

<b>Records within 50m</b>	<b>2</b>
---------------------------	----------

A qualitative classification of estimated rates of vertical movement of water from the ground surface through the unsaturated zone of bedrock (the zone between the land surface and the water table).

Location	Flow type	Maximum permeability	Minimum permeability
<b>On site</b>	<b>Fracture</b>	<b>High</b>	<b>Moderate</b>
<b>On site</b>	<b>Fracture</b>	<b>Moderate</b>	<b>Low</b>

This data is sourced from the British Geological Survey.

## 15.10 Bedrock faults and other linear features (50k)

<b>Records within 500m</b>	<b>31</b>
----------------------------	-----------

Linear features at the ground or bedrock surface at 1:50,000 scale of six main types; rock, fault, fold axis, mineral vein, alteration area or landform. Features are either observed or inferred, and relate primarily to bedrock.

Features are displayed on the Geology 1:50,000 scale - Bedrock map on **page 91**

ID	Location	Category	Description
<b>2</b>	<b>On site</b>	<b>ROCK</b>	<b>Coal seam, inferred</b>
4	50m W	ROCK	Coal seam, inferred




ID	Location	Category	Description
7	125m NW	FAULT	Fault, inferred
8	125m NW	FAULT	Fault, inferred
9	145m N	ROCK	Coal seam, inferred
10	156m N	FAULT	Fault, inferred
11	177m NE	ROCK	Coal seam, inferred
12	211m NE	ROCK	Coal seam, inferred
13	246m E	ROCK	Coal seam, inferred
14	247m NW	ROCK	Coal seam, inferred
17	252m NW	FAULT	Fault, inferred
18	259m SE	ROCK	Coal seam, inferred
19	265m NW	ROCK	Coal seam, inferred
21	298m NE	ROCK	Coal seam, inferred
22	299m W	ROCK	Coal seam, inferred
23	309m N	ROCK	Coal seam, inferred
25	343m SE	ROCK	Coal seam, inferred
26	358m E	ROCK	Coal seam, inferred
27	370m SE	ROCK	Coal seam, inferred
28	370m SE	ROCK	Coal seam, inferred
29	375m E	ROCK	Coal seam, inferred
30	413m NE	ROCK	Coal seam, observed
31	416m SE	ROCK	Coal seam, inferred
32	420m NW	ROCK	Coal seam, inferred
34	423m NE	ROCK	Coal seam, observed
35	448m NW	ROCK	Coal seam, inferred
36	457m SW	ROCK	Coal seam, inferred
37	462m N	ROCK	Coal seam, inferred
38	492m SE	ROCK	Coal seam, inferred
39	495m NE	ROCK	Coal seam, observed



ID	Location	Category	Description
40	495m E	ROCK	Coal seam, observed

*This data is sourced from the British Geological Survey.*

## 16 Boreholes



— Site Outline  
 Search buffers in metres (m)

- Confidential
- 0 - 10m
- 10 - 30m
- 30m+
- Unknown

### 16.1 BGS Boreholes

Records within 250m

65

The Single Onshore Boreholes Index (SOBI); an index of over one million records of boreholes, shafts and wells from all forms of drilling and site investigation work held by the British Geological Survey. Covering onshore and nearshore boreholes dating back to at least 1790 and ranging from one to several thousand metres deep.

Features are displayed on the Boreholes map on **page 95**

ID	Location	Grid reference	Name	Length	Confidential	Web link
1	On site	432220 408350	AMCO SITE BARUGH GREEN BARNESLEY 3	-	Y	N/A
2	On site	432190 408370	AMCO SITE BARUGH GREEN BARNESLEY 5	-	Y	N/A
3	On site	432220 408280	AMCO SITE BARUGH GREEN BARNESLEY TP23	-	Y	N/A

ID	Location	Grid reference	Name	Length	Confidential	Web link
4	On site	432110 408300	AMCO SITE BARUGH GREEN BARNESLEY TP29	-	Y	N/A
5	On site	432160 408350	AMCO SITE BARUGH GREEN BARNESLEY TP33	-	Y	N/A
6	On site	432250 408310	AMCO SITE BARUGH GREEN BARNESLEY TP22	-	Y	N/A
7	On site	432150 408280	AMCO SITE BARUGH GREEN BARNESLEY TP24	-	Y	N/A
8	On site	432120 408270	AMCO SITE BARUGH GREEN BARNESLEY TP30	-	Y	N/A
9	8m SE	432300 408320	AMCO SITE BARUGH GREEN BARNESLEY TP16	-	Y	N/A
10	17m NW	432120 408360	AMCO SITE BARUGH GREEN BARNESLEY TP34	-	Y	N/A
11	18m SE	432280 408290	AMCO SITE BARUGH GREEN BARNESLEY TP17	-	Y	N/A
12	22m SE	432250 408260	AMCO SITE BARUGH GREEN BARNESLEY TP18	-	Y	N/A
13	22m SW	432070 408300	AMCO SITE BARUGH GREEN BARNESLEY TP35	-	Y	N/A
14	34m S	432230 408240	AMCO SITE BARUGH GREEN BARNESLEY TP19	-	Y	N/A
15	35m NW	432160 408410	AMCO SITE BARUGH GREEN BARNESLEY TP32	-	Y	N/A
16	37m SW	432100 408230	AMCO SITE BARUGH GREEN BARNESLEY TP25	-	Y	N/A
A	42m NW	432120 408390	AMCO SITE BARUGH GREEN BARNESLEY TP39	-	Y	N/A
17	42m NE	432301 408390	COALITE WORKS NO.1	-2.0	N	<a href="#">83859</a>
18	50m SW	432070 408250	AMCO SITE BARUGH GREEN BARNESLEY TP31	-	Y	N/A
A	52m NW	432130 408410	AMCO SITE BARUGH GREEN BARNESLEY TP38	-	Y	N/A
B	55m NE	432258 408436	COALITE WORKS NO.1	-2.0	N	<a href="#">83858</a>
19	61m SE	432300 408250	AMCO SITE BARUGH GREEN BARNESLEY TP11	-	Y	N/A
20	62m SW	432030 408290	AMCO SITE BARUGH GREEN BARNESLEY TP36	-	Y	N/A
21	65m SE	432340 408280	AMCO SITE BARUGH GREEN BARNESLEY TP10	-	Y	N/A
22	66m SE	432270 408220	AMCO SITE BARUGH GREEN BARNESLEY TP12	-	Y	N/A
B	67m NE	432260 408450	LOW TEMPERATURE CARBONIZATION LTD	91.44	N	<a href="#">84423</a>
23	70m NW	432070 408390	AMCO SITE BARUGH GREEN BARNESLEY TP41	-	Y	N/A
24	84m NW	432090 408420	AMCO SITE BARUGH GREEN BARNESLEY TP40	-	Y	N/A
25	84m S	432240 408190	AMCO SITE BARUGH GREEN BARNESLEY TP13	-	Y	N/A
26	86m SW	432020 408260	AMCO SITE BARUGH GREEN BARNESLEY TP37	-	Y	N/A
27	91m NW	432120 408450	AMCO SITE BARUGH GREEN BARNESLEY 6	-	Y	N/A



ID	Location	Grid reference	Name	Length	Confidential	Web link
28	99m SE	432370 408260	AMCO SITE BARUGH GREEN BARNSELY TP4	-	Y	N/A
29	105m SE	432310 408200	AMCO SITE BARUGH GREEN BARNSELY TP6	-	Y	N/A
30	116m SE	432350 408220	AMCO SITE BARUGH GREEN BARNSELY TP5	-	Y	N/A
C	119m E	432423 408320	BARNSELY MOTOR TRANSPORT WORKSHOPS	40.0	N	<a href="#">83916</a>
C	120m E	432424 408318	NEW LODGE NO.3 BH	444.94	N	<a href="#">83917</a>
C	120m E	432424 408317	DODWORTH COLLIERY UGBH 7	45.21	N	<a href="#">83915</a>
31	121m S	432200 408150	AMCO SITE BARUGH GREEN BARNSELY TP14	-	Y	N/A
C	123m E	432427 408319	DODWORTH COLLIERY NO.6 UGBH	64.09	N	<a href="#">83920</a>
32	126m S	432280 408160	AMCO SITE BARUGH GREEN BARNSELY TP7	-	Y	N/A
D	130m NW	432080 408470	AMCO SITE BARUGH GREEN BARNSELY TP46	-	Y	N/A
33	134m S	432160 408120	AMCO SITE BARUGH GREEN BARNSELY TP15	-	Y	N/A
E	136m SW	432040 408150	CLAYCLIFFE ROAD BARNSELY TP 1	-	Y	N/A
D	142m NW	432060 408470	AMCO SITE BARUGH GREEN BARNSELY TP42	-	Y	N/A
F	143m NW	432030 408450	AMCO SITE BARUGH GREEN BARNSELY TP48	-	Y	N/A
34	149m S	432080 408110	CLAYCLIFFE ROAD BARNSELY TP 2	-	Y	N/A
E	157m SW	432020 408140	CLAYCLIFFE ROAD BARNSELY TP 8	-	Y	N/A
G	160m NW	432000 408450	AMCO SITE BARUGH GREEN BARNSELY TP50	-	Y	N/A
F	165m NW	432020 408470	AMCO SITE BARUGH GREEN BARNSELY TP43	-	Y	N/A
G	165m NW	431990 408450	AMCO BARUGH 2	8.8	N	<a href="#">15623559</a>
35	167m S	432290 408120	AMCO SITE BARUGH GREEN BARNSELY TP3	-	Y	N/A
36	170m SE	432210 408100	AMCO SITE BARUGH GREEN BARNSELY TP9	-	Y	N/A
H	180m SW	432050 408090	CLAYCLIFFE ROAD BARNSELY TP 7	-	Y	N/A
37	180m NW	432050 408510	AMCO SITE BARUGH GREEN BARNSELY TP49	-	Y	N/A
38	182m S	432110 408070	CLAYCLIFFE ROAD BARNSELY TP 3	-	Y	N/A
39	194m S	432250 408080	REDBROOK BARNSELY 3/R3	-	Y	N/A
40	196m NW	431980 408480	AMCO SITE BARUGH GREEN BARNSELY TP44	-	Y	N/A
H	202m SW	432040 408070	CLAYCLIFFE ROAD BARNSELY TP 6	-	Y	N/A
I	208m NW	432030 408530	AMCO SITE BARUGH GREEN BARNSELY 7	-	Y	N/A





ID	Location	Grid reference	Name	Length	Confidential	Web link
I	209m NW	432000 408510	AMCO SITE BARUGH GREEN BARNSELY TP45	-	Y	N/A
41	222m S	432060 408040	CLAYCLIFFE ROAD BARNSELY 10	2.5	N	<a href="#">16118785</a>
I	228m NW	432010 408540	BARUGH SUB STATION EXTENSION 3	-	Y	N/A
I	231m NW	431990 408530	BARUGH SUB STATION EXTENSION 2	-	Y	N/A
I	243m NW	431970 408530	BARUGH SUB STATION EXTENSION 1	-	Y	N/A
I	247m NW	431990 408550	BARUGH SUB STATION EXTENSION 4	-	Y	N/A

*This data is sourced from the British Geological Survey.*



## 17 Natural ground subsidence - Shrink swell clays



### 17.1 Shrink swell clays

Records within 50m

2



The potential hazard presented by soils that absorb water when wet (making them swell), and lose water as they dry (making them shrink). This shrink-swell behaviour is controlled by the type and amount of clay in the soil, and by seasonal changes in the soil moisture content (related to rainfall and local drainage).

Features are displayed on the Natural ground subsidence - Shrink swell clays map on **page 99**

Location	Hazard rating	Details
On site	Negligible	Ground conditions predominantly non-plastic.
On site	Very low	Ground conditions predominantly low plasticity.

*This data is sourced from the British Geological Survey.*

## Natural ground subsidence - Running sands



### 17.2 Running sands

Records within 50m

2

The potential hazard presented by rocks that can contain loosely-packed sandy layers that can become fluidised by water flowing through them. Such sands can 'run', removing support from overlying buildings and causing potential damage.

Features are displayed on the Natural ground subsidence - Running sands map on **page 100**



Location	Hazard rating	Details
On site	Negligible	Running sand conditions are not thought to occur whatever the position of the water table. No identified constraints on lands use due to running conditions.

Location	Hazard rating	Details
On site	Very low	Running sand conditions are unlikely. No identified constraints on land use due to running conditions unless water table rises rapidly.

*This data is sourced from the British Geological Survey.*



## Natural ground subsidence - Compressible deposits



### 17.3 Compressible deposits

Records within 50m

2

The potential hazard presented by types of ground that may contain layers of very soft materials like clay or peat and may compress if loaded by overlying structures, or if the groundwater level changes, potentially resulting in depression of the ground and disturbance of foundations.


Features are displayed on the Natural ground subsidence - Compressible deposits map on **page 102**

Location	Hazard rating	Details
On site	Negligible	Compressible strata are not thought to occur.
On site	Very low	Compressibility and uneven settlement problems are not likely to be significant on the site for most land uses.

*This data is sourced from the British Geological Survey.*



## Natural ground subsidence - Collapsible deposits



### 17.4 Collapsible deposits

Records within 50m

1



The potential hazard presented by natural deposits that could collapse when a load (such as a building) is placed on them or they become saturated with water.

Features are displayed on the Natural ground subsidence - Collapsible deposits map on **page 104**

Location	Hazard rating	Details
On site	Very low	Deposits with potential to collapse when loaded and saturated are unlikely to be present.

*This data is sourced from the British Geological Survey.*

## Natural ground subsidence - Landslides



### 17.5 Landslides

Records within 50m

1

The potential for landsliding (slope instability) to be a hazard assessed using 1:50,000 scale digital maps of superficial and bedrock deposits, combined with information from the BGS National Landslide Database and scientific and engineering reports.


Features are displayed on the Natural ground subsidence - Landslides map on **page 105**

Location	Hazard rating	Details
On site	Very low	Slope instability problems are not likely to occur but consideration to potential problems of adjacent areas impacting on the site should always be considered.

*This data is sourced from the British Geological Survey.*



## Natural ground subsidence - Ground dissolution of soluble rocks



— Site Outline  
Search buffers in metres (m)

- No data
- Negligible
- Very low
- Low
- Moderate
- High

### 17.6 Ground dissolution of soluble rocks

Records within 50m

1

The potential hazard presented by ground dissolution, which occurs when water passing through soluble rocks produces underground cavities and cave systems. These cavities reduce support to the ground above and can cause localised collapse of the overlying rocks and deposits.

Features are displayed on the Natural ground subsidence - Ground dissolution of soluble rocks map on **page 106**

Location	Hazard rating	Details
On site	Negligible	Soluble rocks are either not thought to be present within the ground, or not prone to dissolution. Dissolution features are unlikely to be present.

*This data is sourced from the British Geological Survey.*

