



GENERAL NOTES:

- 1. THIS DRAWING IS TO BE READ IN CONJUNCTION WITH ALL RELEVANT ARCHITECTS AND ENGINEERS DRAWINGS AND SPECIFICATIONS.
- 2. DO NOT SCALE THIS DRAWING. ANY AMBIGUITIES, OMISSIONS AND ERRORS ON DRAWINGS SHALL BE BROUGHT TO THE ENGINEERS ATTENTION IMMEDIATELY. ALL DIMENSIONS MUST BE CHECKED / VERIFIED ON SITE.
- 3. ALL DIMENSIONS ARE IN MILLIMETRES UNLESS NOTED OTHERWISE.
- 4. FOR GENERAL NOTES REFER TO CURTINS DRAWING *FS0954-CUR-ZZ-XX-DR-C-9000_GENERAL INFRASTRUCTURE NOTES*

TO BE READ IN CONJUNCTION WITH:

- FS0954-CUR-ZZ-ZZ-DR-C-9400, 9402, 9403_EXTERNAL WORKS LAYOUT SHEETS 1, 3 AND 4
- FS0954-CUR-ZZ-ZZ-DR-C-9404_EXTERNAL WORKS LAYOUT KEY PLAN
- FS0954-CUR-ZZ-ZZ-DR-C-9405_EXTERNAL WORKS CONSTRUCTION DETAILS

KEY

- BITUMINOUS VEHICULAR ACCESS AND CAR PAR AREA
- BITUMINOUS FOOTPATH (PEDESTRIAN ONLY)
- BITUMINOUS FOOTPATH (MAINTENANCE ACCESS)
- BLOCK PAVED DROP OFF / PICK UP VEHICULAR PAVING (TO ARCHITECTS SPECIFICATION)
- BLOCK PAVED FOOTPATH
- NON-POROUS MUGA CONSTRUCTION (PEDESTRIAN ONLY)
- SYNTHETIC TURF PITCH - SUBJECT TO SPECIALIST DESIGN
- IN-SITU CONCRETE (BIN STORE/CYCLE STORE AREA)
- RESINBOUND GRAVEL (TO ARCHITECTS SPECIFICATION)
- SOFT LANDSCAPE
- RETAINING WALL (1m HEIGHT)
- RETAINING WALL (0.5m HEIGHT)
- REDLINE BOUNDARY

KERBING:
NOTE: ALL KERBS UNDER 12M RADII REQUIRE MANUFACTURED RADIUS KERBS

- 125x225 HB2 HALF BATTER KERB (125MM UPSTAND)
- 125x150 PRECAST CONCRETE SQUARE EDGED CHANNEL LAID FLUSH
- 50x150 PRECAST CONCRETE FLAT TOP EDGINGS LAID FLUSH
- KERB DRAIN ACO KERB DRAIN OR SIMILAR APPROVED
- 125x150 PRECAST CONCRETE BULLNOSE KERB (125MM UPSTAND)
- 125x150 PRECAST CONCRETE BULLNOSE KERB
- 125x255/150 PRECAST CONCRETE DROP KERB

C02	KERBING LAYOUT UPDATED TO SUIT REVISED LAYOUT	23.02.23	GHB	TKH
C01	CONSTRUCTION ISSUE	25.11.22	GHB	TKH
P07	UPDATED INLINE WITH DTM COMMENTS	09.11.22	GHB	TKH
P06	SITE LAYOUT UPDATED	14.10.22	GHB	TH
P05	CONTRACTOR'S PROPOSALS	07.03.22	JW	AS
P04	UPDATED TO SUIT LATEST SITE LAYOUT AND CONTRACTORS COMMENTS	27.10.21	EMC	AS
P03	RETAINING WALLS ADDED	19.10.21	EMC	TOL
P02	DRAFT CP ISSUE	15.10.21	EMC	AS
P01	FIRST ISSUE	11.10.21	EMC	AS

Rev:	Description:	Date:	By:	Chkd:
------	--------------	-------	-----	-------



56 The Ropewalk, Nottingham, NG1 5DW
0115 941 5551
nottingham@curtins.com
www.curtins.com

Civils & Structures • Transport Planning • Environmental • Infrastructure • Geotechnical • Conservation & Heritage • Principal Designer
Birmingham • Bristol • Cambridge • Cardiff • Douglas • Dublin • Edinburgh • Glasgow • Kander • Leeds • Liverpool • London • Manchester • Nottingham

Status:

CONSTRUCTION

Project:

TRINITY ACADEMY,
BARNSELEY

Orig Title:

EXTERNAL WORKS
LAYOUT
SHEET 2 OF 4

Project No:	Size:	Date:	Drawn By:	Designed By:	Checked By:
079532	A1	05.10.21	GHB	TKH	TKH
Scale: 1:200					
Project Code:	Originator:	Volume:	Level:	Type:	Role:
FS0954 - CUR - ZZ - ZZ - DR - C -					

9401 - C02

CONSTRUCTION ISSUE NOTE:
THE INFORMATION SHOWN IN THIS DRAWING HAS BEEN BASED ON NON-CONSTRUCTION INFORMATION PROVIDED BY OTHERS. ANY WORKS UNDERTAKEN ON SITE WILL BE THE CONTRACTOR'S RISK UNTIL THIS DRAWING IS UPDATED TO INCLUDE CONSTRUCTION INFORMATION SUBMITTED BY OTHER MEMBERS OF THE WIDER DESIGN TEAM.

SAFETY, HEALTH AND ENVIRONMENTAL INFORMATION UNUSUAL SIGNIFICANT HAZARDS

IT IS ASSUMED THAT ALL WORKS WILL BE CARRIED OUT BY A COMPETENT CONTRACTOR WORKING, WHERE APPROPRIATE, TO AN APPROVED METHOD STATEMENT. IN ADDITION TO THE HAZARD RISKS NORMALLY ASSOCIATED WITH THE TYPES OF WORK DETAILED ON THIS DRAWING, NOTE THE FOLLOWING:

- CONSTRUCTION
- 1.
 - 2.
- MAINTENANCE / CLEANING
- 1.

DESIGN NOTES

1. DESIGN BASED ON LANDSCAPE ARCHITECT LAYOUT "FS0954-ALA-XX-ZZ-DR-L-0023 & 0011" PROVIDED BY ARES ON 12.11.22.. ANY ALTERATIONS TO THE STRATEGY MAY RESULT IN DESIGN CHANGES.
2. KERBING BASED ON KERBING LAYOUT (FS0954-ALA-XX-ZZ-DR-L-0007-Kerbs and Edges) PROVIDED BY LANDSCAPE ARCHITECT ON 22.02.23
3. PAVEMENT CONSTRUCTION HAS BEEN DESIGNED WITH AN ASSUMPTION THAT CBR IS 5%.
4. CBR TESTING TO BE UNDERTAKEN PRIOR TO CONSTRUCTION FOR PAVEMENT FOUNDATION DEPTHS TO BE CONFIRMED.
5. PLEASE REFER TO DESIGNER'S HAZARD REGISTER - FS0954-CUR-ZZ-XX-HA-S-0001.