

SILKSTONE
LANE

5m

FOOTPATH

GARDEN
FOOTPATH

15m

N

11
HIGHFIELD
COTTAGES

10
HIGHFIELD
COTTAGES

9
HIGHFIELD
COTTAGES

SILKSTONE
LANE

MP1

SILKSTONE
LANE

PROPOSED ACCESS
TO HIGHWAY NEW
DROPKERB TO BE
INSTALLED AND
HATCHED FOOTPATH
AREA RE-INSTATED
IN LINE WITH
HIGHWAYS
SPECIFICATION

SILKSTONE
LANE

5M

5M

10M

11
HIGHFIELD
COTTAGES

10
HIGHFIELD
COTTAGES

9
HIGHFIELD
COTTAGES

PROPOSED
PARKING
AREA

GARDEN

FOOTPATH

STEPS

PROPOSED PARKING AREA SURFACE
OF GRAVEL WITH PERMEABLE SUB-BASE
(4/20 OR TYPE 3). MATERIAL RETAINED
BY 500MM THICK STONE FILLED GABIONS
TO FACILITATE DRAINAGE IN LINE WITH
HIGHWAYS SPECIFICATION

RETAINING WALL (STONE FILLED GABIONS)
1.2 METRES TALL (± 50 mm)

MP2

CROSSSECTION / SIDE ELEVATION

