Kingfisher Lighting

Datasheet

Galileo

Galileo is a transformational flat-to-ground LED flood light. Suitable for a range of high-performance applications, providing efficient, low glare light.




Key Features

- 525 mA, 700 mA, 900 mA& 1050 mA
- Luminaire efficacy up to 124.5 lm/W
- 4000K, CRI >70
- Lifetime >100,000hr L80 TM21
- Stirrup mounted

Applications

- Sports
- High mast lighting
- Car parks
- Area lighting
- Security



LED | IP66 | IK08 | DIM | Controls Compatible

Galileo 1.0

Fitting		Luminaire Lumens	LED Lumens	Power	Optics	
ASC-W	Galileo 1	4,590 - 16,820	5,214 - 19,800	39.5W - 148W	ASC-W asymmetrical comfort wide floodlight optic	
	Galileo 2	18,670 - 32,590	20,856 - 39,600	150W - 303W		
	Galileo 3	31,730 - 47,900	30,499 - 59,400	263W - 454W		
ASP-W	Galileo 1	4,510 - 16,490	5,214 - 19,800	39.5W - 148W	ASP-W asymmetrical comfort wide floodlight optic	
	Galileo 2	18,310 - 31,970	20,856 - 39,600	150W - 303W		
	Galileo 3	31,130 - 46,980	30,499 - 59,400	263W - 454W		
STE-M	Galileo 1	4,440 - 16,460	5,214 - 19,800	39.5W - 148W	STE-M asymmetrical suburban street optic	
	Galileo 2	17,500 - 31,220	20,856 - 39,600	150W - 303W		
STE-S	Galileo 1	4,440 - 16,460	5,214 - 19,800	39.5W - 148W	STE-S asymmetrical suburban street optic	
	Galileo 2	17,500 - 31,220	20,856 - 39,600	150W - 303W		

Fitting		Luminaire Lumens	LED Lumens	Power	Optics	
STW	Galileo 1	4,440 - 16,460	5,214 - 19,800	39.5W - 148W	STW asymmetrical suburban street optic	
	Galileo 2	17,500 - 31,220	20,856 - 39,600	150W - 303W		
STU-M	Galileo 1	3,290 - 12,520	3,879 - 14,730	31W - 118W	STU-M asymmetrical suburban street optic	
STU-S	Galileo 1	3,290 - 12,520	3,879 - 14,730	31W - 118W	STU-M asymmetrical suburban street optic	
SO5	Galileo 1	3,290 - 12,520	3,879 - 14,730	31W - 118W	SO5 asymmetrical suburban street optic	

Galileo 2.0

Fitting		Luminaire Lumens	LED Lumens	Power	Optics	
ASC-W	Galileo 1	8,020 - 23,270	8,300 - 28,620	69W - 239W	ASC-W asymmetrical comfort wide floodlight optic	
	Galileo 2	30,470 - 46,540	33,199 - 57,240	275W - 478W		
	Galileo 3	52,920 - 69,810	58,099 - 85,860	481W - 717W		
ASP-W	Galileo 1	7,850 - 22,480	8,300 - 28,620	69W - 239W	ASP-W asymmetrical comfort wide floodlight optic	
	Galileo 2	29,800 - 44,960	33,199 - 57,240	275W - 478W		
	Galileo 3	31,750 - 67,440	58,099 - 85,860	481W - 717W		
ASP-N	Galileo 1	7,850 - 21,420	8,300 - 28,620	69W - 239W	ASP-N asymmetrical comfort wide floodlight optic	
	Galileo 2	29,800 - 42,840	33,199 - 57,240	275W - 478W		
	Galileo 3	51,750 - 64,260	58,099 - 85,860	481W - 717W		

Specifications


Weight	5.9-29.6 kg
Windage	Galileo 1: 0.03-0.1m^2 Galileo 2: 0.1-0.2m^2 Galileo 3: 0.14-0.3m^2
Material	Die-cast aluminium
Paint Finish	Graphite grey

Specification Text


The luminaire shall be manufactured from high pressure die-cast aluminium. It shall have a luminaire efficacy of up to 124.5 luminaire lm/W and will be capable of producing up to 72,180 luminaire lumens at 4000K with a CRI >70.
A number of optics will be available and the luminaire will be rated at IP66 and IK08.

Dimensions


Galileo 1



Galileo 2



Galileo 3



All units of measurement in mm.

Code	Power	Light Source	Luminaire Lumens	Optic	CCT(K)	IP	IK	Weight (kg)	Paint Finish	Product Type
STE-S optic										
GAL1-STE-S-4.5-2M1F	41.5W	LED	4440	Asymmetrical suburban street optic (STE-S)	4000	IP66	IK08	5.90	Graphite grey	Fixed
GAL1-STE-S-4.5-2M1D	41.5W	LED	4440		4000	IP66	IK08	5.90	Graphite grey	Dimmable
GAL1-STE-S-4.7-2M1F	54.5W	LED	5570		4000	IP66	IK08	5.90	Graphite grey	Fixed
GAL1-STE-S-4.7-2M1D	54.5W	LED	5570		4000	IP66	IK08	5.90	Graphite grey	Dimmable
GAL1-STE-S-4.5-4M1F	78W	LED	8990		4000	IP66	IK08	5.90	Graphite grey	Fixed
GAL1-STE-S-4.5-4M1D	78W	LED	8990		4000	IP66	IK08	5.90	Graphite grey	Dimmable
GAL1-STE-S-4.7-4M1F	103W	LED	11170		4000	IP66	IK08	5.90	Graphite grey	Fixed
GAL1-STE-S-4.7-4M1D	103W	LED	11170		4000	IP66	IK08	5.90	Graphite grey	Dimmable
GAL1-STE-S-4.5-6M1F	116W	LED	13330		4000	IP66	IK08	5.90	Graphite grey	Fixed
GAL1-STE-S-4.5-6M1D	116W	LED	13330		4000	IP66	IK08	5.90	Graphite grey	Dimmable
GAL1-STE-S-4.7-6M1F	150W	LED	16460		4000	IP66	IK08	5.90	Graphite grey	Fixed
GAL1-STE-S-4.7-6M1D	150W	LED	16460		4000	IP66	IK08	5.90	Graphite grey	Dimmable
GAL2-STE-S-4.5-8M1F	152W	LED	17500		4000	IP66	IK08	9.90	Graphite grey	Fixed
GAL2-STE-S-4.5-8M1D	152W	LED	17500		4000	IP66	IK08	9.90	Graphite grey	Dimmable
GAL2-STE-S-4.7-8M1F	210W	LED	21110		4000	IP66	IK08	9.90	Graphite grey	Fixed
GAL2-STE-S-4.7-8M1D	210W	LED	21110		4000	IP66	IK08	9.90	Graphite grey	Dimmable
GAL2-STE-S-4.5-10M1F	193W	LED	21220		4000	IP66	IK08	9.90	Graphite grey	Fixed
GAL2-STE-S-4.5-10M1D	193W	LED	21220		4000	IP66	IK08	9.90	Graphite grey	Dimmable
GAL2-STE-S-4.7-10M1F	256W	LED	26210		4000	IP66	IK08	9.90	Graphite grey	Fixed
GAL2-STE-S-4.7-10M1D	256W	LED	26210		4000	IP66	IK08	9.90	Graphite grey	Dimmable
GAL2-STE-S-4.5-12M1F	230W	LED	25440		4000	IP66	IK08	9.90	Graphite grey	Fixed
GAL2-STE-S-4.5-12M1D	230W	LED	25440		4000	IP66	IK08	9.90	Graphite grey	Dimmable
GAL2-STE-S-4.7-12M1F	306W	LED	31220		4000	IP66	IK08	9.90	Graphite grey	Fixed
GAL2-STE-S-4.7-12M1D	306W	LED	31220		4000	IP66	IK08	9.90	Graphite grey	Dimmable

Code	Power	Light Source	Luminaire Lumens	Optic	CCT(K)	IP	IK	Weight (kg)	Paint Finish	Product Type
STE-M optic										
GAL1-STE-M-4.5-2M1F	41.5W	LED	4440	Asymmetrical suburban street optic (STE-W)	4000	IP66	IK08	5.90	Graphite grey	Fixed
GAL1-STE-M-4.5-2M1D	41.5W	LED	4440		4000	IP66	IK08	5.90	Graphite grey	Dimmable
GAL1-STE-M-4.7-2M1F	54.5W	LED	5570		4000	IP66	IK08	5.90	Graphite grey	Fixed
GAL1-STE-M-4.7-2M1D	54.5W	LED	5570		4000	IP66	IK08	5.90	Graphite grey	Dimmable
GAL1-STE-M-4.5-4M1F	78W	LED	8990		4000	IP66	IK08	5.90	Graphite grey	Fixed
GAL1-STE-M-4.5-4M1D	78W	LED	8990		4000	IP66	IK08	5.90	Graphite grey	Dimmable
GAL1-STE-M-4.7-4M1F	103W	LED	11170		4000	IP66	IK08	5.90	Graphite grey	Fixed
GAL1-STE-M-4.7-4M1D	103W	LED	11170		4000	IP66	IK08	5.90	Graphite grey	Dimmable
GAL1-STE-M-4.5-6M1F	116W	LED	13330		4000	IP66	IK08	5.90	Graphite grey	Fixed
GAL1-STE-M-4.5-6M1D	116W	LED	13330		4000	IP66	IK08	5.90	Graphite grey	Dimmable
GAL1-STE-M-4.7-6M1F	150W	LED	16460		4000	IP66	IK08	5.90	Graphite grey	Fixed
GAL1-STE-M-4.7-6M1D	150W	LED	16460		4000	IP66	IK08	5.90	Graphite grey	Dimmable
GAL2-STE-M-4.5-8M1F	152W	LED	17500		4000	IP66	IK08	9.90	Graphite grey	Fixed
GAL2-STE-M-4.5-8M1D	152W	LED	17500		4000	IP66	IK08	9.90	Graphite grey	Dimmable
GAL2-STE-M-4.7-8M1F	210W	LED	21110		4000	IP66	IK08	9.90	Graphite grey	Fixed
GAL2-STE-M-4.7-8M1D	210W	LED	21110		4000	IP66	IK08	9.90	Graphite grey	Dimmable
GAL2-STE-M-4.5-10M1F	193W	LED	21220		4000	IP66	IK08	9.90	Graphite grey	Fixed
GAL2-STE-M-4.5-10M1D	193W	LED	21220		4000	IP66	IK08	9.90	Graphite grey	Dimmable
GAL2-STE-M-4.7-10M1F	256W	LED	26210		4000	IP66	IK08	9.90	Graphite grey	Fixed
GAL2-STE-M-4.7-10M1D	256W	LED	26210		4000	IP66	IK08	9.90	Graphite grey	Dimmable
GAL2-STE-M-4.5-12M1F	230W	LED	25440		4000	IP66	IK08	9.90	Graphite grey	Fixed
GAL2-STE-M-4.5-12M1D	230W	LED	25440		4000	IP66	IK08	9.90	Graphite grey	Dimmable
GAL2-STE-M-4.7-12M1F	306W	LED	31220		4000	IP66	IK08	9.90	Graphite grey	Fixed
GAL2-STE-M-4.7-12M1D	306W	LED	31220		4000	IP66	IK08	9.90	Graphite grey	Dimmable
STW optic										
GAL1-STW-4.5-2M1F	41.5W	LED	4440	Asymmetrical suburban street optic (STE-W)	4000	IP66	IK08	5.90	Graphite grey	Fixed
GAL1-STW-4.5-2M1D	41.5W	LED	4440		4000	IP66	IK08	5.90	Graphite grey	Dimmable
GAL1-STW-4.7-2M1F	54.5W	LED	5570		4000	IP66	IK08	5.90	Graphite grey	Fixed
GAL1-STW-4.7-2M1D	54.5W	LED	5570		4000	IP66	IK08	5.90	Graphite grey	Dimmable
GAL1-STW-4.5-4M1F	78W	LED	8990		4000	IP66	IK08	5.90	Graphite grey	Fixed
GAL1-STW-4.5-4M1D	78W	LED	8990		4000	IP66	IK08	5.90	Graphite grey	Dimmable
GAL1-STW-4.7-4M1F	103W	LED	11170		4000	IP66	IK08	5.90	Graphite grey	Fixed
GAL1-STW-4.7-4M1D	103W	LED	11170		4000	IP66	IK08	5.90	Graphite grey	Dimmable
GAL1-STW-4.5-6M1F	116W	LED	13330		4000	IP66	IK08	5.90	Graphite grey	Fixed
GAL1-STW-4.5-6M1D	116W	LED	13330		4000	IP66	IK08	5.90	Graphite grey	Dimmable
GAL1-STW-4.7-6M1F	150W	LED	16460		4000	IP66	IK08	5.90	Graphite grey	Fixed
GAL1-STW-4.7-6M1D	150W	LED	16460		4000	IP66	IK08	5.90	Graphite grey	Dimmable
GAL2-STW-4.5-8M1F	152W	LED	17500		4000	IP66	IK08	9.90	Graphite grey	Fixed
GAL2-STW-4.5-8M1D	152W	LED	17500		4000	IP66	IK08	9.90	Graphite grey	Dimmable
GAL2-STW-4.7-8M1F	210W	LED	21110		4000	IP66	IK08	9.90	Graphite grey	Fixed
GAL2-STW-4.7-8M1D	210W	LED	21110		4000	IP66	IK08	9.90	Graphite grey	Dimmable
GAL2-STW-4.5-10M1F	193W	LED	21220		4000	IP66	IK08	9.90	Graphite grey	Fixed
GAL2-STW-4.5-10M1D	193W	LED	21220		4000	IP66	IK08	9.90	Graphite grey	Dimmable
GAL2-STW-4.7-10M1F	256W	LED	26210		4000	IP66	IK08	9.90	Graphite grey	Fixed
GAL2-STW-4.7-10M1D	256W	LED	26210		4000	IP66	IK08	9.90	Graphite grey	Dimmable
GAL2-STW-4.5-12M1F	230W	LED	25440		4000	IP66	IK08	9.90	Graphite grey	Fixed
GAL2-STW-4.5-12M1D	230W	LED	25440		4000	IP66	IK08	9.90	Graphite grey	Dimmable
GAL2-STW-4.7-12M1F	306W	LED	31220		4000	IP66	IK08	9.90	Graphite grey	Fixed
GAL2-STW-4.7-12M1D	306W	LED	31220		4000	IP66	IK08	9.90	Graphite grey	Dimmable
ASC-W optic										
GAL1-ASC4W-4.9-1M1F	69W	LED	8020	Asymmetrical 40° comfort wide flood light optic (ASC4W)	4000	IP66	IK08	6.00	Graphite grey	Non dimmable
GAL1-ASC4W-4.9-1M1D	69W	LED	8020		4000	IP66	IK08	6.00	Graphite grey	Dimmable
GAL1-ASC4W-4.105-1M1F	81W	LED	8970		4000	IP66	IK08	6.00	Graphite grey	Non dimmable
GAL1-ASC4W-4.105-1M1D	81W	LED	8970		4000	IP66	IK08	6.00	Graphite grey	Dimmable
GAL1-ASC4W-4.9-2M1F	134W	LED	15500		4000	IP66	IK08	6.00	Graphite grey	Non dimmable
GAL1-ASC4W-4.9-2M1D	134W	LED	15500		4000	IP66	IK08	6.00	Graphite grey	Dimmable
GAL1-ASC4W-4.105-2M1F	157W	LED	16990		4000	IP66	IK08	6.00	Graphite grey	Non dimmable
GAL1-ASC4W-4.105-2M1D	157W	LED	16990		4000	IP66	IK08	6.00	Graphite grey	Dimmable
GAL1-ASC4W-4.9-3M1F	206W	LED	22450		4000	IP66	IK08	6.00	Graphite grey	Non dimmable
GAL1-ASC4W-4.9-3M1D	206W	LED	22450		4000	IP66	IK08	6.00	Graphite grey	Dimmable
GAL1-ASC4W-4.105-3M1F	239W	LED	24060		4000	IP66	IK08	6.00	Graphite grey	Non dimmable
GAL1-ASC4W-4.105-3M1D	239W	LED	24060		4000	IP66	IK08	6.00	Graphite grey	Dimmable

Code	Power	Light Source	Luminaire Lumens	Optic	CCT(K)	IP	IK	Weight (kg)	Paint Finish	Product Type
ASC-W optic										
GAL1-ASC5W-4.9-1M1F	69W	LED	7980	Asymmetrical 50° comfort wide flood light optic (ASC5W)	4000	IP66	IK08	6.00	Graphite grey	Non dimmable
GAL1-ASC5W-4.9-1M1D	69W	LED	7980		4000	IP66	IK08	6.00	Graphite grey	Dimmable
GAL1-ASC5W-4.105-1M1F	81W	LED	8920		4000	IP66	IK08	6.00	Graphite grey	Non dimmable
GAL1-ASC5W-4.105-1M1D	81W	LED	8920		4000	IP66	IK08	6.00	Graphite grey	Dimmable
GAL1-ASC5W-4.9-2M1F	81W	LED	8820		4000	IP66	IK08	6.00	Graphite grey	Non dimmable
GAL1-ASC5W-4.9-2M1D	81W	LED	8820		4000	IP66	IK08	6.00	Graphite grey	Dimmable
GAL1-ASC5W-4.105-2M1F	134W	LED	15420		4000	IP66	IK08	6.00	Graphite grey	Non dimmable
GAL1-ASC5W-4.105-2M1D	134W	LED	15420		4000	IP66	IK08	6.00	Graphite grey	Dimmable
GAL1-ASC5W-4.9-3M1F	206W	LED	22450		4000	IP66	IK08	6.00	Graphite grey	Non dimmable
GAL1-ASC5W-4.9-3M1D	206W	LED	22450		4000	IP66	IK08	6.00	Graphite grey	Dimmable
GAL1-ASC5W-4.105-3M1F	239W	LED	23930		4000	IP66	IK08	6.00	Graphite grey	Non dimmable
GAL1-ASC5W-4.105-3M1D	239W	LED	23930		4000	IP66	IK08	6.00	Graphite grey	Dimmable
GAL1-ASC6W-4.9-1M1F	81W	LED	8820	Asymmetrical 60° comfort wide flood light optic (ASC6W)	4000	IP66	IK08	6.00	Graphite grey	Non dimmable
GAL1-ASC6W-4.9-1M1D	81W	LED	8820		4000	IP66	IK08	6.00	Graphite grey	Dimmable
GAL1-ASC6W-4.105-1M1F	81W	LED	8820		4000	IP66	IK08	6.00	Graphite grey	Non dimmable
GAL1-ASC6W-4.105-1M1D	81W	LED	8820		4000	IP66	IK08	6.00	Graphite grey	Dimmable
GAL1-ASC6W-4.9-2M1F	134W	LED	15250		4000	IP66	IK08	6.00	Graphite grey	Non dimmable
GAL1-ASC6W-4.9-2M1D	134W	LED	15250		4000	IP66	IK08	6.00	Graphite grey	Dimmable
GAL1-ASC6W-4.105-2M1F	239W	LED	23670		4000	IP66	IK08	6.00	Graphite grey	Non dimmable
GAL1-ASC6W-4.105-2M1D	239W	LED	23670		4000	IP66	IK08	6.00	Graphite grey	Dimmable
GAL1-ASC6W-4.9-3M1F	206W	LED	22080		4000	IP66	IK08	6.00	Graphite grey	Non dimmable
GAL1-ASC6W-4.9-3M1D	206W	LED	22080		4000	IP66	IK08	6.00	Graphite grey	Dimmable
GAL1-ASC6W-4.105-3M1F	239W	LED	23670		4000	IP66	IK08	6.00	Graphite grey	Non dimmable
GAL1-ASC6W-4.105-3M1D	239W	LED	23670		4000	IP66	IK08	6.00	Graphite grey	Dimmable
GAL1-ASC7W-4.9-1M1F	69W	LED	7760	Asymmetrical 70° comfort wide flood light optic (ASC7W)	4000	IP66	IK08	6.00	Graphite grey	Non dimmable
GAL1-ASC7W-4.9-1M1D	69W	LED	7760		4000	IP66	IK08	6.00	Graphite grey	Dimmable
GAL1-ASC7W-4.105-1M1F	81W	LED	8670		4000	IP66	IK08	6.00	Graphite grey	Non dimmable
GAL1-ASC7W-4.105-1M1D	81W	LED	8670		4000	IP66	IK08	6.00	Graphite grey	Dimmable
GAL1-ASC7W-4.9-2M1F	134W	LED	14990		4000	IP66	IK08	6.00	Graphite grey	Non dimmable
GAL1-ASC7W-4.9-2M1D	134W	LED	14990		4000	IP66	IK08	6.00	Graphite grey	Dimmable
GAL1-ASC7W-4.105-2M1F	157W	LED	16430		4000	IP66	IK08	6.00	Graphite grey	Non dimmable
GAL1-ASC7W-4.105-2M1D	157W	LED	16430		4000	IP66	IK08	6.00	Graphite grey	Dimmable
GAL1-ASC7W-4.9-3M1F	206W	LED	21710		4000	IP66	IK08	6.00	Graphite grey	Non dimmable
GAL1-ASC7W-4.9-3M1D	206W	LED	21710		4000	IP66	IK08	6.00	Graphite grey	Dimmable
GAL1-ASC7W-4.105-3M1F	239W	LED	23270		4000	IP66	IK08	6.00	Graphite grey	Non dimmable
GAL1-ASC7W-4.105-3M1D	239W	LED	23270		4000	IP66	IK08	6.00	Graphite grey	Dimmable
GAL2-ASC4W-4.9-4M1F	275W	LED	30470	Asymmetrical 40° comfort wide flood light optic (ASC4W)	4000	IP66	IK08	9.90	Graphite grey	Non dimmable
GAL2-ASC4W-4.9-4M1D	275W	LED	30470		4000	IP66	IK08	9.90	Graphite grey	Dimmable
GAL2-ASC4W-4.105-4M1F	320W	LED	33030		4000	IP66	IK08	9.90	Graphite grey	Non dimmable
GAL2-ASC4W-4.105-4M1D	320W	LED	33030		4000	IP66	IK08	9.90	Graphite grey	Dimmable
GAL2-ASC4W-4.9-5M1F	340W	LED	37950		4000	IP66	IK08	9.90	Graphite grey	Non dimmable
GAL2-ASC4W-4.9-5M1D	340W	LED	37950		4000	IP66	IK08	9.90	Graphite grey	Dimmable
GAL2-ASC4W-4.105-5M1F	396W	LED	41050		4000	IP66	IK08	9.90	Graphite grey	Non dimmable
GAL2-ASC4W-4.105-5M1D	396W	LED	41050		4000	IP66	IK08	9.90	Graphite grey	Dimmable
GAL2-ASC4W-4.9-6M1F	412W	LED	44900		4000	IP66	IK08	9.90	Graphite grey	Non dimmable
GAL2-ASC4W-4.9-6M1D	412W	LED	44900		4000	IP66	IK08	9.90	Graphite grey	Dimmable
GAL2-ASC4W-4.105-6M1F	478W	LED	48120		4000	IP66	IK08	9.90	Graphite grey	Non dimmable
GAL2-ASC4W-4.105-6M1D	478W	LED	48120		4000	IP66	IK08	9.90	Graphite grey	Dimmable
GAL2-ASC5W-4.9-4M1F	275W	LED	30300	Asymmetrical 50° comfort wide flood light optic (ASC5W)	4000	IP66	IK08	9.90	Graphite grey	Non dimmable
GAL2-ASC5W-4.9-4M1D	275W	LED	30300		4000	IP66	IK08	9.90	Graphite grey	Dimmable
GAL2-ASC5W-4.105-4M1F	320W	LED	32850		4000	IP66	IK08	9.90	Graphite grey	Non dimmable
GAL2-ASC5W-4.105-4M1D	320W	LED	32850		4000	IP66	IK08	9.90	Graphite grey	Dimmable
GAL2-ASC5W-4.9-5M1F	340W	LED	37740		4000	IP66	IK08	9.90	Graphite grey	Non dimmable
GAL2-ASC5W-4.9-5M1D	340W	LED	37740		4000	IP66	IK08	9.90	Graphite grey	Dimmable
GAL2-ASC5W-4.105-5M1F	396W	LED	40820		4000	IP66	IK08	9.90	Graphite grey	Non dimmable
GAL2-ASC5W-4.105-5M1D	396W	LED	40820		4000	IP66	IK08	9.90	Graphite grey	Dimmable
GAL2-ASC5W-4.9-6M1F	412W	LED	44640		4000	IP66	IK08	9.90	Graphite grey	Non dimmable
GAL2-ASC5W-4.9-6M1D	412W	LED	44640		4000	IP66	IK08	9.90	Graphite grey	Dimmable
GAL2-ASC5W-4.105-6M1F	478W	LED	47860		4000	IP66	IK08	9.90	Graphite grey	Non dimmable
GAL2-ASC5W-4.105-6M1D	478W	LED	47860		4000	IP66	IK08	9.90	Graphite grey	Dimmable

Code	Power	Light Source	Luminaire Lumens	Optic	CCT(K)	IP	IK	Weight (kg)	Paint Finish	Product Type
ASC-W optic										
GAL2-ASC6W-4.9-4M1F	275W	LED	29970	Asymmetrical 60° comfort wide flood light optic (ASC6W)	4000	IP66	IK08	9.90	Graphite grey	Non Dimmable
GAL2-ASC6W-4.9-4M1D	275W	LED	29970		4000	IP66	IK08	9.90	Graphite grey	Dimmable
GAL2-ASC6W-4.105-4M1F	320W	LED	32490		4000	IP66	IK08	9.90	Graphite grey	Non Dimmable
GAL2-ASC6W-4.105-4M1D	320W	LED	32490		4000	IP66	IK08	9.90	Graphite grey	Dimmable
GAL2-ASC6W-4.9-5M1F	340W	LED	37330		4000	IP66	IK08	9.90	Graphite grey	Non Dimmable
GAL2-ASC6W-4.9-5M1D	340W	LED	37330		4000	IP66	IK08	9.90	Graphite grey	Dimmable
GAL2-ASC6W-4.105-5M1F	396W	LED	40380		4000	IP66	IK08	9.90	Graphite grey	Non Dimmable
GAL2-ASC6W-4.105-5M1D	396W	LED	40380		4000	IP66	IK08	9.90	Graphite grey	Dimmable
GAL2-ASC6W-4.9-6M1F	412W	LED	44160		4000	IP66	IK08	9.90	Graphite grey	Non Dimmable
GAL2-ASC6W-4.9-6M1D	412W	LED	44160		4000	IP66	IK08	9.90	Graphite grey	Dimmable
GAL2-ASC6W-4.105-6M1F	478W	LED	47340		4000	IP66	IK08	9.90	Graphite grey	Non Dimmable
GAL2-ASC6W-4.105-6M1D	478W	LED	47340		4000	IP66	IK08	9.90	Graphite grey	Dimmable
GAL2-ASC7W-4.9-4M1F	275W	LED	29470	Asymmetrical 70° comfort wide flood light optic (ASC7W)	4000	IP66	IK08	9.90	Graphite Grey	Non Dimmable
GAL2-ASC7W-4.9-4M1D	275W	LED	29470		4000	IP66	IK08	9.90	Graphite Grey	Dimmable
GAL2-ASC7W-4.105-4M1F	320W	LED	31940		4000	IP66	IK08	9.90	Graphite Grey	Non Dimmable
GAL2-ASC7W-4.105-4M1D	320W	LED	31940		4000	IP66	IK08	9.90	Graphite Grey	Dimmable
GAL2-ASC7W-4.9-5M1F	340W	LED	36700		4000	IP66	IK08	9.90	Graphite Grey	Non Dimmable
GAL2-ASC7W-4.9-5M1D	340W	LED	36700		4000	IP66	IK08	9.90	Graphite Grey	Dimmable
GAL2-ASC7W-4.105-5M1F	396W	LED	39700		4000	IP66	IK08	9.90	Graphite Grey	Non Dimmable
GAL2-ASC7W-4.105-5M1D	396W	LED	39700		4000	IP66	IK08	9.90	Graphite Grey	Dimmable
GAL2-ASC7W-4.9-6M1F	412W	LED	43420		4000	IP66	IK08	9.90	Graphite Grey	Non Dimmable
GAL2-ASC7W-4.9-6M1D	412W	LED	43420		4000	IP66	IK08	9.90	Graphite Grey	Dimmable
GAL2-ASC7W-4.105-6M1F	478W	LED	46540		4000	IP66	IK08	9.90	Graphite Grey	Non Dimmable
GAL2-ASC7W-4.105-6M1D	478W	LED	46540		4000	IP66	IK08	9.90	Graphite Grey	Dimmable
GAL3-ASC4W-4.9-7M1F	481W	LED	52920	Asymmetrical 40° comfort wide flood light optic (ASC4W)	4000	IP66	IK08	6.00	Graphite grey	Non dimmable
GAL3-ASC4W-4.9-7M1D	481W	LED	52920		4000	IP66	IK08	6.00	Graphite grey	Dimmable
GAL3-ASC4W-4.105-7M1F	559W	LED	57090		4000	IP66	IK08	6.00	Graphite grey	Non dimmable
GAL3-ASC4W-4.105-7M1D	559W	LED	57090		4000	IP66	IK08	6.00	Graphite grey	Dimmable
GAL3-ASC4W-4.9-8M1F	546W	LED	34330		4000	IP66	IK08	6.00	Graphite grey	Non dimmable
GAL3-ASC4W-4.9-8M1D	546W	LED	34330		4000	IP66	IK08	6.00	Graphite grey	Dimmable
GAL3-ASC4W-4.105-8M1F	635W	LED	42110		4000	IP66	IK08	6.00	Graphite grey	Non dimmable
GAL3-ASC4W-4.105-8M1D	635W	LED	42110		4000	IP66	IK08	6.00	Graphite grey	Dimmable
GAL3-ASC4W-4.9-9M1F	481W	LED	67350		4000	IP66	IK08	6.00	Graphite grey	Non dimmable
GAL3-ASC4W-4.9-9M1D	481W	LED	67350		4000	IP66	IK08	6.00	Graphite grey	Dimmable
GAL3-ASC4W-4.105-9M1F	717W	LED	72180		4000	IP66	IK08	6.00	Graphite grey	Non dimmable
GAL3-ASC4W-4.105-9M1D	717W	LED	72180		4000	IP66	IK08	6.00	Graphite grey	Dimmable
GAL3-ASC5W-4.9-7M1F	481W	LED	52620	Asymmetrical 50° comfort wide flood light optic (ASC5W)	4000	IP66	IK08	9.90	Graphite grey	Non dimmable
GAL3-ASC5W-4.9-7M1D	481W	LED	52620		4000	IP66	IK08	9.90	Graphite grey	Dimmable
GAL3-ASC5W-4.105-7M1F	559W	LED	56780		4000	IP66	IK08	9.90	Graphite grey	Non dimmable
GAL3-ASC5W-4.105-7M1D	559W	LED	56780		4000	IP66	IK08	9.90	Graphite grey	Dimmable
GAL3-ASC5W-4.9-8M1F	546W	LED	60060		4000	IP66	IK08	9.90	Graphite grey	Non dimmable
GAL3-ASC5W-4.9-8M1D	546W	LED	60060		4000	IP66	IK08	9.90	Graphite grey	Dimmable
GAL3-ASC5W-4.105-8M1F	635W	LED	64750		4000	IP66	IK08	9.90	Graphite grey	Non dimmable
GAL3-ASC5W-4.105-8M1D	635W	LED	64750		4000	IP66	IK08	9.90	Graphite grey	Dimmable
GAL3-ASC5W-4.9-9M1F	618W	LED	66960		4000	IP66	IK08	9.90	Graphite grey	Non dimmable
GAL3-ASC5W-4.9-9M1D	618W	LED	66960		4000	IP66	IK08	9.90	Graphite grey	Dimmable
GAL3-ASC5W-4.105-9M1F	717W	LED	71790		4000	IP66	IK08	9.90	Graphite grey	Non dimmable
GAL3-ASC5W-4.105-9M1D	717W	LED	71790		4000	IP66	IK08	9.90	Graphite grey	Dimmable
GAL3-ASC6W-4.9-7M1F	481W	LED	52050	Asymmetrical 60° comfort wide flood light optic (ASC6W)	4000	IP66	IK08	9.90	Graphite grey	Non dimmable
GAL3-ASC6W-4.9-7M1D	481W	LED	52050		4000	IP66	IK08	9.90	Graphite grey	Dimmable
GAL3-ASC6W-4.105-7M1F	559W	LED	56160		4000	IP66	IK08	9.90	Graphite grey	Non dimmable
GAL3-ASC6W-4.105-7M1D	559W	LED	56160		4000	IP66	IK08	9.90	Graphite grey	Dimmable
GAL3-ASC6W-4.9-8M1F	546W	LED	59410		4000	IP66	IK08	9.90	Graphite grey	Non dimmable
GAL3-ASC6W-4.9-8M1D	546W	LED	59410		4000	IP66	IK08	9.90	Graphite grey	Dimmable
GAL3-ASC6W-4.105-8M1F	635W	LED	64050		4000	IP66	IK08	9.90	Graphite grey	Non dimmable
GAL3-ASC6W-4.105-8M1D	635W	LED	64050		4000	IP66	IK08	9.90	Graphite grey	Dimmable
GAL3-ASC6W-4.9-9M1F	618W	LED	66240		4000	IP66	IK08	9.90	Graphite grey	Non dimmable
GAL3-ASC6W-4.9-9M1D	618W	LED	66240		4000	IP66	IK08	9.90	Graphite grey	Dimmable
GAL3-ASC6W-4.105-9M1F	717W	LED	71010		4000	IP66	IK08	9.90	Graphite grey	Non dimmable
GAL3-ASC6W-4.105-9M1D	717W	LED	71010		4000	IP66	IK08	9.90	Graphite grey	Dimmable

Code	Power	Light Source	Luminaire Lumens	Optic	CCT(K)	IP	IK	Weight (kg)	Paint Finish	Product Type
ASC-W optic										
GAL3-ASC7W-4.9-7M1F	481W	LED	51180	Asymmetrical 70° comfort wide flood light optic (ASC7W)	4000	IP66	IK08	9.90	Graphite grey	Non dimmable
GAL3-ASC7W-4.9-7M1D	481W	LED	51180		4000	IP66	IK08	9.90	Graphite grey	Dimmable
GAL3-ASC7W-4.105-7M1F	559W	LED	55210		4000	IP66	IK08	9.90	Graphite grey	Non dimmable
GAL3-ASC7W-4.105-7M1D	559W	LED	55210		4000	IP66	IK08	9.90	Graphite grey	Dimmable
GAL3-ASC7W-4.9-8M1F	546W	LED	58410		4000	IP66	IK08	9.90	Graphite grey	Non dimmable
GAL3-ASC7W-4.9-8M1D	546W	LED	58410		4000	IP66	IK08	9.90	Graphite grey	Dimmable
GAL3-ASC7W-4.105-8M1F	635W	LED	62970		4000	IP66	IK08	9.90	Graphite grey	Non dimmable
GAL3-ASC7W-4.105-8M1D	635W	LED	62970		4000	IP66	IK08	9.90	Graphite grey	Dimmable
GAL3-ASC7W-4.9-9M1F	618W	LED	65130		4000	IP66	IK08	9.90	Graphite grey	Non dimmable
GAL3-ASC7W-4.9-9M1D	618W	LED	65130		4000	IP66	IK08	9.90	Graphite grey	Dimmable
GAL3-ASC7W-4.105-9M1F	717W	LED	69810		4000	IP66	IK08	9.90	Graphite grey	Non dimmable
GAL3-ASC7W-4.105-9M1D	717W	LED	69810		4000	IP66	IK08	9.90	Graphite grey	Dimmable
GAL1-ASC4W-4.5-1M1F	39.5W	LED	4590	Asymmetrical 40° Comfort Wide Floodlight Optic (ASC4W)	4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASC4W-4.5-1M1D	39.5W	LED	4590		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASC4W-4.7-1M1F	52W	LED	5750		4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASC4W-4.7-1M1D	52W	LED	5750		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASC4W-4.5-2M1F	75W	LED	9210		4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASC4W-4.5-2M1D	75W	LED	9210		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASC4W-4.7-2M1F	102W	LED	11510		4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASC4W-4.7-2M1D	102W	LED	11510		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASC4W-4.5-3M1F	115W	LED	14000		4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASC4W-4.5-3M1D	115W	LED	14000		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASC4W-4.7-3M1F	148W	LED	17240		4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASC4W-4.7-3M1D	148W	LED	17240		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASC5W-4.5-1M1F	39.5W	LED	4570	Asymmetrical 50° Comfort Wide Floodlight Optic (ASC5W)	4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASC5W-4.5-1M1D	39.5W	LED	4570		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASC5W-4.7-1M1F	81W	LED	5720		4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASC5W-4.7-1M1D	81W	LED	5720		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASC5W-4.5-2M1F	75W	LED	9170		4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASC5W-4.5-2M1D	75W	LED	9170		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASC5W-4.7-2M1F	102W	LED	11450		4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASC5W-4.7-2M1D	102W	LED	11450		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASC5W-4.5-3M1F	115W	LED	13930		4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASC5W-4.5-3M1D	115W	LED	13930		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASC5W-4.7-3M1F	148W	LED	17160		4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASC5W-4.7-3M1D	148W	LED	17160		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASC6W-4.5-1M1F	39.5W	LED	4520	Asymmetrical 60° Comfort Wide Floodlight Optic (ASC6W)	4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASC6W-4.5-1M1D	39.5W	LED	4520		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASC6W-4.7-1M1F	81W	LED	5670		4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASC6W-4.7-1M1D	81W	LED	5670		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASC6W-4.5-2M1F	75W	LED	9080		4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASC6W-4.5-2M1D	75W	LED	9080		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASC6W-4.7-2M1F	102W	LED	11340		4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASC6W-4.7-2M1D	102W	LED	11340		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASC6W-4.5-3M1F	115W	LED	13800		4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASC6W-4.5-3M1D	115W	LED	13800		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASC6W-4.7-3M1F	239W	LED	16990		4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASC6W-4.7-3M1D	239W	LED	16990		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASC7W-4.5-1M1F	39.5W	LED	4480	Asymmetrical 70° Comfort Wide Floodlight Optic (ASC7W)	4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASC7W-4.5-1M1D	39.5W	LED	4480		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASC7W-4.7-1M1F	52W	LED	5610		4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASC7W-4.7-1M1D	52W	LED	5610		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASC7W-4.5-2M1F	75W	LED	8990		4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASC7W-4.5-2M1D	75W	LED	8990		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASC7W-4.7-2M1F	102W	LED	11230		4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASC7W-4.7-2M1D	102W	LED	11230		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASC7W-4.5-3M1F	115W	LED	13660		4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASC7W-4.5-3M1D	115W	LED	13660		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASC7W-4.7-3M1F	148W	LED	16820		4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASC7W-4.7-3M1D	148W	LED	16820		4000	IP66	IK08	5.90	Graphite Grey	Dimmable

Code	Power	Light Source	Luminaire Lumens	Optic	CCT(K)	IP	IK	Weight (kg)	Paint Finish	Product Type
ASC-W optic										
GAL2-ASC4W-4.5-4M1F	150W	LED	18670	Asymmetrical 40° Comfort Wide Floodlight Optic (ASC4W)	4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASC4W-4.5-4M1D	150W	LED	18670		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASC4W-4.7-4M1F	208W	LED	22980		4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASC4W-4.7-4M1D	208W	LED	22980		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASC4W-4.5-5M1F	191W	LED	22660		4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASC4W-4.5-5M1D	191W	LED	22660		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASC4W-4.7-5M1F	253W	LED	27830		4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASC4W-4.7-5M1D	253W	LED	27830		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASC4W-4.5-6M1F	228W	LED	27200		4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASC4W-4.5-6M1D	228W	LED	27200		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASC4W-4.7-6M1F	303W	LED	33400		4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASC4W-4.7-6M1D	303W	LED	33400		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASC5W-4.5-4M1F	150W	LED	18570	Asymmetrical 50° Comfort Wide Floodlight Optic (ASC5W)	4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASC5W-4.5-4M1D	150W	LED	18570		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASC5W-4.7-4M1F	208W	LED	22870		4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASC5W-4.7-4M1D	208W	LED	22870		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASC5W-4.5-5M1F	191W	LED	22550		4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASC5W-4.5-5M1D	191W	LED	22550		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASC5W-4.7-5M1F	253W	LED	27690		4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASC5W-4.7-5M1D	253W	LED	27690		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASC5W-4.5-6M1F	228W	LED	27070		4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASC5W-4.5-6M1D	228W	LED	27070		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASC5W-4.7-6M1F	303W	LED	33240		4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASC5W-4.7-6M1D	303W	LED	33240		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASC6W-4.5-4M1F	150W	LED	18390	Asymmetrical 60° Comfort Wide Floodlight Optic (ASC6W)	4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASC6W-4.5-4M1D	150W	LED	18390		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASC6W-4.7-4M1F	208W	LED	22640		4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASC6W-4.7-4M1D	208W	LED	22640		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASC6W-4.5-5M1F	191W	LED	22330		4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASC6W-4.5-5M1D	191W	LED	22330		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASC6W-4.7-5M1F	253W	LED	27420		4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASC6W-4.7-5M1D	253W	LED	27420		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASC6W-4.5-6M1F	228W	LED	26810		4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASC6W-4.5-6M1D	228W	LED	26810		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASC6W-4.7-6M1F	303W	LED	32920		4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASC6W-4.7-6M1D	303W	LED	32920		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASC7W-4.5-4M1F	150W	LED	18210	Asymmetrical 70° Comfort Wide Floodlight Optic (ASC7W)	4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASC7W-4.5-4M1D	150W	LED	18210		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASC7W-4.7-4M1F	208W	LED	22420		4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASC7W-4.7-4M1D	208W	LED	22420		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASC7W-4.5-5M1F	191W	LED	22110		4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASC7W-4.5-5M1D	191W	LED	22110		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASC7W-4.7-5M1F	253W	LED	27150		4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASC7W-4.7-5M1D	253W	LED	27150		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASC7W-4.5-6M1F	228W	LED	26540		4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASC7W-4.5-6M1D	228W	LED	26540		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASC7W-4.7-6M1F	303W	LED	32590		4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASC7W-4.7-6M1D	303W	LED	32590		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL3-ASC4W-4.5-7M1F	263W	LED	31730	Asymmetrical 40° Comfort Wide Floodlight Optic (ASC4W)	4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASC4W-4.5-7M1D	263W	LED	31730		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASC4W-4.7-7M1F	353W	LED	38970		4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASC4W-4.7-7M1D	353W	LED	38970		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASC4W-4.5-8M1F	304W	LED	35590		4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASC4W-4.5-8M1D	304W	LED	35590		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASC4W-4.7-8M1F	404W	LED	43640		4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASC4W-4.7-8M1D	404W	LED	43640		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASC4W-4.5-9M1F	342W	LED	40030		4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASC4W-4.5-9M1D	342W	LED	40030		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASC4W-4.7-9M1F	454W	LED	49100		4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASC4W-4.7-9M1D	454W	LED	49100		4000	IP66	IK08	29.60	Graphite Grey	Dimmable

Code	Power	Light Source	Luminaire Lumens	Optic	CCT(K)	IP	IK	Weight (kg)	Paint Finish	Product Type
ASC-W optic										
GAL3-ASC5W-4.5-7M1F	263W	LED	31580	Asymmetrical 50° Comfort Wide Floodlight Optic (ASC5W)	4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASC5W-4.5-7M1D	263W	LED	31580		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASC5W-4.7-7M1F	353W	LED	38780		4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASC5W-4.7-7M1D	353W	LED	38780		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASC5W-4.5-8M1F	304W	LED	35410		4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASC5W-4.5-8M1D	304W	LED	35410		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASC5W-4.7-8M1F	404W	LED	43430		4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASC5W-4.7-8M1D	404W	LED	43430		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASC5W-4.5-9M1F	342W	LED	39830		4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASC5W-4.5-9M1D	342W	LED	39830		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASC5W-4.7-9M1F	454W	LED	48860		4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASC5W-4.7-9M1D	454W	LED	48860		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASC6W-4.5-7M1F	263W	LED	31270	Asymmetrical 60° Comfort Wide Floodlight Optic (ASC6W)	4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASC6W-4.5-7M1D	263W	LED	31270		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASC6W-4.7-7M1F	353W	LED	38400		4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASC6W-4.7-7M1D	353W	LED	38400		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASC6W-4.5-8M1F	304W	LED	35070		4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASC6W-4.5-8M1D	304W	LED	35070		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASC6W-4.7-8M1F	404W	LED	43010		4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASC6W-4.7-8M1D	404W	LED	43010		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASC6W-4.5-9M1F	342W	LED	39440		4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASC6W-4.5-9M1D	342W	LED	39440		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASC6W-4.7-9M1F	454W	LED	48380		4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASC6W-4.7-9M1D	454W	LED	48380		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASC7W-4.5-7M1F	263W	LED	30960	Asymmetrical 70° Comfort Wide Floodlight Optic (ASC7W)	4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASC7W-4.5-7M1D	263W	LED	30960		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASC7W-4.7-7M1F	353W	LED	38020		4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASC7W-4.7-7M1D	353W	LED	38020		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASC7W-4.5-8M1F	304W	LED	34720		4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASC7W-4.5-8M1D	304W	LED	34720		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASC7W-4.7-8M1F	404W	LED	42580		4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASC7W-4.7-8M1D	404W	LED	42580		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASC7W-4.5-9M1F	342W	LED	39050		4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASC7W-4.5-9M1D	342W	LED	39050		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASC7W-4.7-9M1F	454W	LED	47900		4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASC7W-4.7-9M1D	454W	LED	47900		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL1-ASP4N-4.5-1M1F	39.5W	LED	4590	Asymmetrical 40° Comfort Wide Floodlight Optic (ASC4W)	4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASP4N-4.5-1M1D	39.5W	LED	4590		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASP4N-4.7-1M1F	52W	LED	5750		4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASP4N-4.7-1M1D	52W	LED	5750		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASP4N-4.5-2M1F	75W	LED	9210		4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASP4N-4.5-2M1D	75W	LED	9210		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASP4N-4.7-2M1F	102W	LED	11510		4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASP4N-4.7-2M1D	102W	LED	11510		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASP4N-4.5-3M1F	115W	LED	14000		4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASP4N-4.5-3M1D	115W	LED	14000		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASP4N-4.7-3M1F	148W	LED	17240		4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASP4N-4.7-3M1D	148W	LED	17240		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASP5N-4.5-1M1F	39.5W	LED	4570	Asymmetrical 50° Comfort Wide Floodlight Optic (ASC5W)	4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASP5N-4.5-1M1D	39.5W	LED	4570		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASP5N-4.7-1M1F	81W	LED	5720		4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASP5N-4.7-1M1D	81W	LED	5720		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASP5N-4.5-2M1F	75W	LED	9170		4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASP5N-4.5-2M1D	75W	LED	9170		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASP5N-4.7-2M1F	102W	LED	11450		4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASP5N-4.7-2M1D	102W	LED	11450		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASP5N-4.5-3M1F	115W	LED	13930		4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASP5N-4.5-3M1D	115W	LED	13930		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASP5N-4.7-3M1F	148W	LED	17160		4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASP5N-4.7-3M1D	148W	LED	17160		4000	IP66	IK08	5.90	Graphite Grey	Dimmable

Code	Power	Light Source	Luminaire Lumens	Optic	CCT(K)	IP	IK	Weight (kg)	Paint Finish	Product Type
ASC-W optic										
GAL1-ASP6N-4.5-1M1F	39.5W	LED	4520	Asymmetrical 60° Comfort Wide Floodlight Optic (ASC6W)	4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASP6N-4.5-1M1D	39.5W	LED	4520		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASP6N-4.7-1M1F	81W	LED	5670		4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASP6N-4.7-1M1D	81W	LED	5670		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASP6N-4.5-2M1F	75W	LED	9080		4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASP6N-4.5-2M1D	75W	LED	9080		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASP6N-4.7-2M1F	102W	LED	11340		4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASP6N-4.7-2M1D	102W	LED	11340		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASP6N-4.5-3M1F	115W	LED	13800		4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASP6N-4.5-3M1D	115W	LED	13800		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASP6N-4.7-3M1F	239W	LED	16990		4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASP6N-4.7-3M1D	239W	LED	16990		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASP7N-4.5-1M1F	39.5W	LED	4480	Asymmetrical 70° Comfort Wide Floodlight Optic (ASC7W)	4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASP7N-4.5-1M1D	39.5W	LED	4480		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASP7N-4.7-1M1F	52W	LED	5610		4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASP7N-4.7-1M1D	52W	LED	5610		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASP7N-4.5-2M1F	75W	LED	8990		4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASP7N-4.5-2M1D	75W	LED	8990		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASP7N-4.7-2M1F	102W	LED	11230		4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASP7N-4.7-2M1D	102W	LED	11230		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASP7N-4.5-3M1F	115W	LED	13660		4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASP7N-4.5-3M1D	115W	LED	13660		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASP7N-4.7-3M1F	148W	LED	16820		4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASP7N-4.7-3M1D	148W	LED	16820		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL2-ASP4N-4.5-4M1F	150W	LED	18670	Asymmetrical 40° Comfort Wide Floodlight Optic (ASC4W)	4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASP4N-4.5-4M1D	150W	LED	18670		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASP4N-4.7-4M1F	208W	LED	22980		4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASP4N-4.7-4M1D	208W	LED	22980		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASP4N-4.5-5M1F	191W	LED	22660		4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASP4N-4.5-5M1D	191W	LED	22660		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASP4N-4.7-5M1F	253W	LED	27830		4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASP4N-4.7-5M1D	253W	LED	27830		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASP4N-4.5-6M1F	228W	LED	27200		4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASP4N-4.5-6M1D	228W	LED	27200		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASP4N-4.7-6M1F	303W	LED	33400		4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASP4N-4.7-6M1D	303W	LED	33400		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASP5N-4.5-4M1F	150W	LED	18570	Asymmetrical 50° Comfort Wide Floodlight Optic (ASC5W)	4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASP5N-4.5-4M1D	150W	LED	18570		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASP5N-4.7-4M1F	208W	LED	22870		4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASP5N-4.7-4M1D	208W	LED	22870		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASP5N-4.5-5M1F	191W	LED	22550		4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASP5N-4.5-5M1D	191W	LED	22550		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASP5N-4.7-5M1F	253W	LED	27690		4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASP5N-4.7-5M1D	253W	LED	27690		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASP5N-4.5-6M1F	228W	LED	27070		4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASP5N-4.5-6M1D	228W	LED	27070		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASP5N-4.7-6M1F	303W	LED	33240		4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASP5N-4.7-6M1D	303W	LED	33240		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASP6N-4.5-4M1F	150W	LED	18390	Asymmetrical 60° Comfort Wide Floodlight Optic (ASC6W)	4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASP6N-4.5-4M1D	150W	LED	18390		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASP6N-4.7-4M1F	208W	LED	22640		4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASP6N-4.7-4M1D	208W	LED	22640		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASP6N-4.5-5M1F	191W	LED	22330		4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASP6N-4.5-5M1D	191W	LED	22330		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASP6N-4.7-5M1F	253W	LED	27420		4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASP6N-4.7-5M1D	253W	LED	27420		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASP6N-4.5-6M1F	228W	LED	26810		4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASP6N-4.5-6M1D	228W	LED	26810		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASP6N-4.7-6M1F	303W	LED	32920		4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASP6N-4.7-6M1D	303W	LED	32920		4000	IP66	IK08	20.30	Graphite Grey	Dimmable

Code	Power	Light Source	Luminaire Lumens	Optic	CCT(K)	IP	IK	Weight (kg)	Paint Finish	Product Type
ASC-W optic										
GAL2-ASP7N-4.5-4M1F	150W	LED	18210	Asymmetrical 70° Comfort Wide Floodlight Optic (ASC7W)	4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASP7N-4.5-4M1D	150W	LED	18210		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASP7N-4.7-4M1F	208W	LED	22420		4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASP7N-4.7-4M1D	208W	LED	22420		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASP7N-4.5-5M1F	191W	LED	22110		4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASP7N-4.5-5M1D	191W	LED	22110		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASP7N-4.7-5M1F	253W	LED	27150		4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASP7N-4.7-5M1D	253W	LED	27150		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASP7N-4.5-6M1F	228W	LED	26540		4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASP7N-4.5-6M1D	228W	LED	26540		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASP7N-4.7-6M1F	303W	LED	32590		4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASP7N-4.7-6M1D	303W	LED	32590		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL3-ASP4N-4.5-7M1F	263W	LED	31730	Asymmetrical 40° Comfort Wide Floodlight Optic (ASC4W)	4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASP4N-4.5-7M1D	263W	LED	31730		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASP4N-4.7-7M1F	353W	LED	38970		4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASP4N-4.7-7M1D	353W	LED	38970		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASP4N-4.5-8M1F	304W	LED	35590		4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASP4N-4.5-8M1D	304W	LED	35590		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASP4N-4.7-8M1F	404W	LED	43640		4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASP4N-4.7-8M1D	404W	LED	43640		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASP4N-4.5-9M1F	342W	LED	40030		4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASP4N-4.5-9M1D	342W	LED	40030		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASP4N-4.7-9M1F	454W	LED	49100		4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASP4N-4.7-9M1D	454W	LED	49100		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASP4N-4.5-7M1F	263W	LED	31580	Asymmetrical 50° Comfort Wide Floodlight Optic (ASC5W)	4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASP5N-4.5-7M1D	263W	LED	31580		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASP5N-4.7-7M1F	353W	LED	38780		4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASP5N-4.7-7M1D	353W	LED	38780		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASP5N-4.5-8M1F	304W	LED	35410		4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASP5N-4.5-8M1D	304W	LED	35410		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASP5N-4.7-8M1F	404W	LED	43430		4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASP5N-4.7-8M1D	404W	LED	43430		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASP5N-4.5-9M1F	342W	LED	39830		4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASP5N-4.5-9M1D	342W	LED	39830		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASP5N-4.7-9M1F	454W	LED	48860		4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASP5N-4.7-9M1D	454W	LED	48860		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASP6N-4.5-7M1F	263W	LED	31270	Asymmetrical 60° Comfort Wide Floodlight Optic (ASC6W)	4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASP6N-4.5-7M1D	263W	LED	31270		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASP6N-4.7-7M1F	353W	LED	38400		4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASP6N-4.7-7M1D	353W	LED	38400		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASP6N-4.5-8M1F	304W	LED	35070		4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASP6N-4.5-8M1D	304W	LED	35070		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASP6N-4.7-8M1F	404W	LED	43010		4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASP6N-4.7-8M1D	404W	LED	43010		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASP6N-4.5-9M1F	342W	LED	39440		4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASP6N-4.5-9M1D	342W	LED	39440		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASP6N-4.7-9M1F	454W	LED	48380		4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASP6N-4.7-9M1D	454W	LED	48380		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASP7N-4.5-7M1F	263W	LED	30960	Asymmetrical 70° Comfort Wide Floodlight Optic (ASC7W)	4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASP7N-4.5-7M1D	263W	LED	30960		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASP7N-4.7-7M1F	353W	LED	38020		4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASP7N-4.7-7M1D	353W	LED	38020		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASP7N-4.5-8M1F	304W	LED	34720		4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASP7N-4.5-8M1D	304W	LED	34720		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASP7N-4.7-8M1F	404W	LED	42580		4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASP7N-4.7-8M1D	404W	LED	42580		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASP7N-4.5-9M1F	342W	LED	39050		4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASP7N-4.5-9M1D	342W	LED	39050		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASP7N-4.7-9M1F	454W	LED	47900		4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASP7N-4.7-9M1D	454W	LED	47900		4000	IP66	IK08	29.60	Graphite Grey	Dimmable

Code	Power	Light Source	Luminaire Lumens	Optic	CCT(K)	IP	IK	Weight (kg)	Paint Finish	Product Type
ASC-W optic										
GAL1-ASP4N-4.5-1M1F	39.5W	LED	4510	Asymmetrical 40° Comfort Wide Floodlight Optic (ASC4W)	4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASP4N-4.5-1M1D	39.5W	LED	4510		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASP4N-4.7-1M1F	52W	LED	5640		4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASP4N-4.7-1M1D	52W	LED	5640		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASP4N-4.5-2M1F	75W	LED	9030		4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASP4N-4.5-2M1D	75W	LED	9030		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASP4N-4.7-2M1F	102W	LED	11300		4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASP4N-4.7-2M1D	102W	LED	11300		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASP4N-4.5-3M1F	115W	LED	13720		4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASP4N-4.5-3M1D	115W	LED	13720		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASP4N-4.7-3M1F	148W	LED	16900		4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASP4N-4.7-3M1D	148W	LED	16900		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASP5N-4.5-1M1F	39.5W	LED	4490	Asymmetrical 50° Comfort Wide Floodlight Optic (ASC5W)	4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASP5N-4.5-1M1D	39.5W	LED	4490		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASP5N-4.7-1M1F	81W	LED	5610		4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASP5N-4.7-1M1D	81W	LED	5610		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASP5N-4.5-2M1F	75W	LED	8990		4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASP5N-4.5-2M1D	75W	LED	8990		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASP5N-4.7-2M1F	102W	LED	11240		4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASP5N-4.7-2M1D	102W	LED	11240		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASP5N-4.5-3M1F	115W	LED	13660		4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASP5N-4.5-3M1D	115W	LED	13660		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASP5N-4.7-3M1F	148W	LED	16820		4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASP5N-4.7-3M1D	148W	LED	16820		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASP6N-4.5-1M1F	39.5W	LED	4440	Asymmetrical 60° Comfort Wide Floodlight Optic (ASC6W)	4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASP6N-4.5-1M1D	39.5W	LED	4440		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASP6N-4.7-1M1F	81W	LED	5560		4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASP6N-4.7-1M1D	81W	LED	5560		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASP6N-4.5-2M1F	75W	LED	8900		4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASP6N-4.5-2M1D	75W	LED	8900		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASP6N-4.7-2M1F	102W	LED	11130		4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASP6N-4.7-2M1D	102W	LED	11130		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASP6N-4.5-3M1F	115W	LED	13520		4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASP6N-4.5-3M1D	115W	LED	13520		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASP6N-4.7-3M1F	239W	LED	16650		4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASP6N-4.7-3M1D	239W	LED	16650		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASP7N-4.5-1M1F	39.5W	LED	4400	Asymmetrical 70° Comfort Wide Floodlight Optic (ASC7W)	4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASP7N-4.5-1M1D	39.5W	LED	4400		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASP7N-4.7-1M1F	52W	LED	5500		4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASP7N-4.7-1M1D	52W	LED	5500		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASP7N-4.5-2M1F	75W	LED	8810		4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASP7N-4.5-2M1D	75W	LED	8810		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASP7N-4.7-2M1F	102W	LED	11020		4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASP7N-4.7-2M1D	102W	LED	11020		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASP7N-4.5-3M1F	115W	LED	13390		4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASP7N-4.5-3M1D	115W	LED	13390		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL1-ASP7N-4.7-3M1F	148W	LED	16490		4000	IP66	IK08	5.90	Graphite Grey	Non dimmable
GAL1-ASP7N-4.7-3M1D	148W	LED	16490		4000	IP66	IK08	5.90	Graphite Grey	Dimmable
GAL2-ASP4N-4.5-4M1F	150W	LED	18310	Asymmetrical 40° Comfort Wide Floodlight Optic (ASC4W)	4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASP4N-4.5-4M1D	150W	LED	18310		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASP4N-4.7-4M1F	208W	LED	22540		4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASP4N-4.7-4M1D	208W	LED	22540		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASP4N-4.5-5M1F	191W	LED	22230		4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASP4N-4.5-5M1D	191W	LED	22230		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASP4N-4.7-5M1F	253W	LED	27300		4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASP4N-4.7-5M1D	253W	LED	27300		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASP4N-4.5-6M1F	228W	LED	26680		4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASP4N-4.5-6M1D	228W	LED	26680		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASP4N-4.7-6M1F	303W	LED	32770		4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASP4N-4.7-6M1D	303W	LED	32770		4000	IP66	IK08	20.30	Graphite Grey	Dimmable

Code	Power	Light Source	Luminaire Lumens	Optic	CCT(K)	IP	IK	Weight (kg)	Paint Finish	Product Type
ASC-W optic										
GAL2-ASP5N-4.5-4M1F	150W	LED	18220	Asymmetrical 50° Comfort Wide Floodlight Optic (ASC5W)	4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASP5N-4.5-4M1D	150W	LED	18220		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASP5N-4.7-4M1F	208W	LED	22430		4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASP5N-4.7-4M1D	208W	LED	22430		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASP5N-4.5-5M1F	191W	LED	22120		4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASP5N-4.5-5M1D	191W	LED	22120		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASP5N-4.7-5M1F	253W	LED	27160		4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASP5N-4.7-5M1D	253W	LED	27160		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASP5N-4.5-6M1F	228W	LED	26550		4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASP5N-4.5-6M1D	228W	LED	26550		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASP5N-4.7-6M1F	303W	LED	32610		4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASP5N-4.7-6M1D	303W	LED	32610		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASP6N-4.5-4M1F	150W	LED	18040	Asymmetrical 60° Comfort Wide Floodlight Optic (ASC6W)	4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASP6N-4.5-4M1D	150W	LED	18040		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASP6N-4.7-4M1F	208W	LED	22210		4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASP6N-4.7-4M1D	208W	LED	22210		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASP6N-4.5-5M1F	191W	LED	21910		4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASP6N-4.5-5M1D	191W	LED	21910		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASP6N-4.7-5M1F	253W	LED	26900		4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASP6N-4.7-5M1D	253W	LED	26900		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASP6N-4.5-6M1F	228W	LED	26290		4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASP6N-4.5-6M1D	228W	LED	26290		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASP6N-4.7-6M1F	303W	LED	32290		4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASP6N-4.7-6M1D	303W	LED	32290		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASP7N-4.5-4M1F	150W	LED	17860	Asymmetrical 70° Comfort Wide Floodlight Optic (ASC7W)	4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASP7N-4.5-4M1D	150W	LED	17860		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASP7N-4.7-4M1F	208W	LED	21990		4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASP7N-4.7-4M1D	208W	LED	21990		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASP7N-4.5-5M1F	191W	LED	21690		4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASP7N-4.5-5M1D	191W	LED	21690		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASP7N-4.7-5M1F	253W	LED	26630		4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASP7N-4.7-5M1D	253W	LED	26630		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASP7N-4.5-6M1F	228W	LED	26030		4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASP7N-4.5-6M1D	228W	LED	26030		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL2-ASP7N-4.7-6M1F	303W	LED	31970		4000	IP66	IK08	20.30	Graphite Grey	Non dimmable
GAL2-ASP7N-4.7-6M1D	303W	LED	31970		4000	IP66	IK08	20.30	Graphite Grey	Dimmable
GAL3-ASP4N-4.5-7M1F	263W	LED	31130	Asymmetrical 40° Comfort Wide Floodlight Optic (ASC4W)	4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASP4N-4.5-7M1D	263W	LED	31130		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASP4N-4.7-7M1F	353W	LED	38220		4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASP4N-4.7-7M1D	353W	LED	38220		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASP4N-4.5-8M1F	304W	LED	34900		4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASP4N-4.5-8M1D	304W	LED	34900		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASP4N-4.7-8M1F	404W	LED	42800		4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASP4N-4.7-8M1D	404W	LED	42800		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASP4N-4.5-9M1F	342W	LED	39260		4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASP4N-4.5-9M1D	342W	LED	39260		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASP4N-4.7-9M1F	454W	LED	48150		4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASP4N-4.7-9M1D	454W	LED	48150		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASP5N-4.5-7M1F	263W	LED	30980	Asymmetrical 50° Comfort Wide Floodlight Optic (ASC5W)	4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASP5N-4.5-7M1D	263W	LED	30980		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASP5N-4.7-7M1F	353W	LED	38040		4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASP5N-4.7-7M1D	353W	LED	38040		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASP5N-4.5-8M1F	304W	LED	34730		4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASP5N-4.5-8M1D	304W	LED	34730		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASP5N-4.7-8M1F	404W	LED	42600		4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASP5N-4.7-8M1D	404W	LED	42600		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASP5N-4.5-9M1F	342W	LED	39070		4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASP5N-4.5-9M1D	342W	LED	39070		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASP5N-4.7-9M1F	454W	LED	47920		4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASP5N-4.7-9M1D	454W	LED	47920		4000	IP66	IK08	29.60	Graphite Grey	Dimmable

Code	Power	Light Source	Luminaire Lumens	Optic	CCT(K)	IP	IK	Weight (kg)	Paint Finish	Product Type
ASC-W optic										
GAL3-ASP6N-4.5-7M1F	263W	LED	30670	Asymmetrical 60° Comfort Wide Floodlight Optic (ASC6W)	4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASP6N-4.5-7M1D	263W	LED	30670		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASP6N-4.7-7M1F	353W	LED	37660		4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASP6N-4.7-7M1D	353W	LED	37660		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASP6N-4.5-8M1F	304W	LED	34390		4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASP6N-4.5-8M1D	304W	LED	34390		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASP6N-4.7-8M1F	404W	LED	42180		4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASP6N-4.7-8M1D	404W	LED	42180		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASP6N-4.5-9M1F	342W	LED	38680		4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASP6N-4.5-9M1D	342W	LED	38680		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASP6N-4.7-9M1F	454W	LED	47450		4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASP6N-4.7-9M1D	454W	LED	47450		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASP7N-4.5-7M1F	263W	LED	30370	Asymmetrical 70° Comfort Wide Floodlight Optic (ASC7W)	4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASP7N-4.5-7M1D	263W	LED	30370		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASP7N-4.7-7M1F	353W	LED	37290		4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASP7N-4.7-7M1D	353W	LED	37290		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASP7N-4.5-8M1F	304W	LED	34050		4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASP7N-4.5-8M1D	304W	LED	34050		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASP7N-4.7-8M1F	404W	LED	41760		4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASP7N-4.7-8M1D	404W	LED	41760		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASP7N-4.5-9M1F	342W	LED	38300		4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASP7N-4.5-9M1D	342W	LED	38300		4000	IP66	IK08	29.60	Graphite Grey	Dimmable
GAL3-ASP7N-4.7-9M1F	454W	LED	46980		4000	IP66	IK08	29.60	Graphite Grey	Non dimmable
GAL3-ASP7N-4.7-9M1D	454W	LED	46980		4000	IP66	IK08	29.60	Graphite Grey	Dimmable

Accessories / Options

Paint finish options	Contact us for details
Colour temperature options	3000K & 5700K - Contact us for details
Bracket options	Contact us for details
Fixed or dimmable	See specification table