

Barnsley West Residential

Return to results menu

Headline Results

Scroll down for final results ⚠

On-site baseline	<i>Habitat units</i>
	<i>Hedgerow units</i>
	<i>Watercourse units</i>

On-site post-intervention (Including habitat retention, creation & enhancement)	<i>Habitat units</i>
	<i>Hedgerow units</i>
	<i>Watercourse units</i>

On-site net change (units & percentage)	<i>Habitat units</i>
	<i>Hedgerow units</i>
	<i>Watercourse units</i>

Off-site baseline	<i>Habitat units</i>
	<i>Hedgerow units</i>
	<i>Watercourse units</i>

Off-site post-intervention (Including habitat retention, creation & enhancement)	<i>Habitat units</i>
	<i>Hedgerow units</i>
	<i>Watercourse units</i>

Off-site net change	<i>Habitat units</i>
---------------------	----------------------

On-site net change  
(units & percentage)

*Hedgerow units*  
*Watercourse units*

Combined net unit change  
(Including all on-site & off-site habitat retention, creation & enhancement)

*Habitat units*  
*Hedgerow units*  
*Watercourse units*

Spatial risk multiplier (SRM) deductions

*Habitat units*  
*Hedgerow units*  
*Watercourse units*

## FINAL RESULTS

Total net unit change  
(Including all on-site & off-site habitat retention, creation & enhancement)

*Habitat units*  
*Hedgerow units*  
*Watercourse units*

Total net % change  
(Including all on-site & off-site habitat retention, creation & enhancement)

*Habitat units*  
*Hedgerow units*  
*Watercourse units*

Trading rules satisfied?

No - Check Trade

Unit Type	Target	Baseline Units	Units Required
<i>Habitat units</i>	10.00%	331.64	364.81
<i>Hedgerow units</i>	10.00%	26.23	28.85
<i>Watercourse units</i>	10.00%	9.95	10.95

331.64
26.23
9.95

430.49
32.28
9.46

98.84	29.80%
6.05	23.08%
-0.49	-4.92%

On-site net gain is less than target set ⚠

0.00
0.00
0.00

0.00
0.00
0.00

0.00	0.00%
------	-------

0.00	0.00%
0.00	0.00%

98.84
6.05
-0.49

0.00
0.00
0.00

--

98.84
6.05
-0.49

29.80%
--------

23.08%
--------

-4.92%
--------

Total net gain achieved is less than target set  $\Delta$

ing Summaries ▲

Unit Deficit
0.00
0.00
1.49

Unit requirement met or surpassed ✓

Unit requirement met or surpassed ✓