



PASSIVE HOUSE ENERGY TARGETS

Total Primary Energy Consumption not more than 120 kWh/m² per year

Air leakage not more than 0.6 x house volume at 50 Pa (N/m²)

Annual heating / cooling demand not more than 15 kWh/m² per year or peak heat load of 10 W/m²

Specific heat load for the heating source at design temperature less than 10 W/m²

Section

Notes:
 Copyright Reserved. This drawing must only be used for the client and location specified in the title block. It may not be copied by any third party without prior written consent from Walker Associates.
 This drawing is only for the purposes described below and must not be used for any other purpose.
 Do not scale from this drawing, all dimensions are in millimetres unless otherwise stated and should be considered as guides subject to on-site confirmation.
 Prior to any work on site Walker Associates, must be contacted to check the validity of the drawing.

Rev	Date	Amendment	By

PLANNING 01

Client:
 Mr & Mrs H Taylor
 Cathill Hall Mews
 Firs Lane
 Hoylandswaine

Job:
 New Eco Dwelling

Drawing Title:
 Passive House Design Principles

Drawing No:
 WA 026/P 01/ 210

Scale:
 Not to scale

Date:
 Nov 2013

Drawn By:
 mlw



5 New Hagg,
 Oldfield Road,
 Honley, Holmfirth,
 Huddersfield,
 West Yorkshire,
 HD9 6RN

Tel: 01484 303800
Email:
 enquiries.walkerassociates@gmail.com