Street Lighting Arrangement

Denotes new 6M galvanised steel column with Arialed 40 lantern complete with electronic PEC.

All materials to comply fully with current BMBC Street Lighting Specification.

It is the responsibility of the developer to advise their clients of the location of street lighting columns relative to their property and to programme column installation works commensurate with property occupation.

All setting out and column positions to be agreed by BMBC Street Lighting Engineer- allow 24 hours prior for attendance

BMBC will not enter into third party discussion on column positions, any such discussion will be carried out between BMBC and the developer.

The street lighting columns and lanterns and their maintenance remain the responsibility of the developer until completion of the adoption process.

All lighting columns are to be provided with an unmetered single phase electricity supply via the REC cable network.
It is expected that the developer will coordinate with the REC regarding the installation of any cable ducts they may require.

If an IDNO is used columns need to be labelled using BMBC standard template.

MOUNT VERNON CRESCENT

MOUNT VERNON ROAD

ROAD1

Bollards

LN1 LN2 LN3 LN4 LN5

S102: Hydrobrake
Optimum Vortex Flow
Control Device:
SHE-0077-3500-1900-3500
Flow =3.5l/s
Head = 1.9m

Tank:
18,350x11.075x1.8
Min volume: 333m³

3.0m 3.0m 3.0m

6.0m

435100m 435150m 435200m 435250m 435300m

404900m 404850m 404800m 404750m

Based upon Ordnance Survey Digital Mapping.
With permission of the Controller of
Her Majesty's Stationery Office.
CROWN COPYRIGHT RESERVED
Unauthorised reproduction infringes
Crown Copyright and may lead to
prosecution or Civil Proceedings.
Licence No. 100022264

Rev.	By	Amendments	Date
A	SGA	Drawing Updated	23/6

BARNSLEY
Metropolitan Borough Council

Project
Mount Vernon Hospital S38 Works for Duchy Homes

Drawing title
Street Lighting and Electrical Proposals

Scale	Drawn	Checked	Date
1:250	SGA		23/6/21

Drawing No. SL20-51/rev a

File

Paul Castle
Service Director, Environment & Transport.
Place Directorate.
Westgate Plaza, Barnsley, S70 2DR.
Tel. (01226) 773555 Fax. (01226) 772110